

ROHDE'S SALES & SERVICE
JUNCTION 33-44 RT. 1
PARDEEVILLE, WIS. 53954

1975
WHEEL HORSE
attachment and accessory catalog



WHEEL HORSE
lawn & garden tractors

Here's how Wheel Horse attachments and accessories help match your tractororing needs to the letter.

Attachments

Wheel Horse attachments give you a wide selection of attaching tools to add to the versatility of your Wheel Horse tractor.


In addition to the traditional "lawn mowing" capabilities, your Wheel Horse can save you hours of time and hard work when coupled with other Wheel Horse attachments. For example, tillers, snow throwers, snow/dozer blades, grader blades, dump cart, 4-wheel wagon, lawn sweepers, roller, lawn aerators, harrows, discs and cultivators are all available. You'll also find a wide range of allied attachments that fit your Wheel Horse to increase the number of tasks it can do for you.

Accessories

Wheel Horse offers a long list of accessory kits and items to add to your new Wheel Horse tractor. Items like a hydraulic or electric attachment lift take the "work" out of raising and lowering attachments and can be added to most models.

There are light kits, arm rests, additional instruments, turning brakes, wheel weights, chains, various tire styles and a variety of special purpose hitches. You can "customize" your tractor by adding any of these accessories.

We thank you for choosing Wheel Horse. We are confident you will find just the right attachment in this catalog to make your tractor a more valuable piece of equipment.



A-Series The lawn care line.

Your best buy for care of small to medium size lawns. Choose from three models of riding mowers in 7 or 8 Horsepower, or the all new "Electric Horse" . . . a battery powered rider that lets you "fuel" up by simply plugging it into a standard 110 volt electrical outlet.

B-Series Value leader for lawn or garden.

Great choice for the intermediate size lawn or garden. Plenty of power to pull a plow or disc and do over 25 different jobs with optional attachments, yet economical to buy and operate. Choice of either an eight or ten horsepower model; Four speed or automatic transmission.

C-Series Power and versatility to spare.

The ideal match for your medium to large lawn or garden. Four models in 10, 12 or 16 horsepower . . . 8-speed or automatic transmission. Full-size, fully featured and ruggedly built to give long lasting, trouble-free performance.

D-Series Biggest tractors we've ever built.

Three models meet the toughest challenge of large lawns and gardens. All feature dependable automatic transmission for easy, on-the-go control. At the top is the 19.9 HP twin cylinder, D-200. A truly deluxe model with a multitude of features such as disc turning brakes, 3-point hitch, deluxe seat and more for the person who wants the best we have available. The D-180 is an 18 HP tractor but with fewer deluxe features. Our economy model in this series is the 16 HP single cylinder D-160. All have capabilities to utilize the many "farm-type" implements available.

Attachment guides

WHEEL HORSE attachment guide

Part Number											
		D-200 Automatic	D-180 Automatic	C-180 Automatic	C-120 Automatic	C-160 8-Speed	B-100 Automatic	B-100 8-Speed	B-80 4-Speed	A-80 Electric Horse	A-80 (E)
60" Rear mount mower(1)	5-0901	•	•								
48" Side discharge mower	5-1221	•	•	•							
48" Side discharge mower	5-1211				•	•	•	•			
42" Side discharge mower	5-1011				•	•	•	•			
36" Side discharge mower	5-0722				•	•	•	•	•	•	
36" Rear discharge mower	5-0622				•	•	•	•	•	•	
32" Side discharge mower	5-0212									Std	Std
32" Side discharge mower	5-8401										Std
26" Side discharge mower	5-0102										Std
48" Snow thrower	6-7452	•	•	•							
42" Snow thrower	6-6214				•	•	•	•			
37" Snow thrower	6-0202								•	•	
56" Dozer/snow blade	6-1142	•	•	•							
42" Dozer/snow blade	6-2132				•	•	•	•	•	•	
42" Dozer/snow blade	6-7123									•	•
50" Grader blade	7-1122	•	•	•							
40" Grader blade	7-1114				•	•	•	•	•	•	
50" Tiller(1)	7-1261	•	•	•							
36" Tiller	7-1252				•	•	•	•	•		
36" Aerator	7-2412	•	•	•	•	•	•	•	•	•	•
38" Lawn sweeper	7-2522	•	•	•	•	•	•	•	•	•	•
31" Lawn sweeper	7-2513	•	•	•	•	•	•	•	•	•	•
32" Lawn roller	7-2312	•	•	•	•	•	•	•	•	•	•
32" Disc(2)	7-1513				•	•	•	•	•	•	
Cultivator(2)	7-1723				•	•	•	•	•	•	
Harrow(2)	7-1612				•	•	•	•	•	•	
4-Wheel wagon	7-2112	•	•	•	•	•	•	•	•	•	•
2-Wheel dump cart	7-2212	•	•	•	•	•	•	•	•	•	•
Lawn vacuum(3)	7-2613				•	•	•	•			

Allied attachment guide

		D-200 Automatic	D-180 Automatic	C-180 Automatic	C-120 Automatic	C-160 8-Speed	B-100 Automatic	B-100 8-Speed	B-80 4-Speed	A-80 Electric Horse	A-80 (E)
Broadcast spreader		•	•	•	•	•	•	•	•	•	•
Slicing aerator		•	•	•	•	•	•	•	•	•	•
Compactor rake		•	•	•	•	•	•	•	•	•	•
Coring aerator		•	•	•	•	•	•	•	•	•	•
Drawbar attachment (for 3-point hitch)		•	•	•							
Estate sprayer		•	•	•	•	•	•	•	•	•	•
Fork lift kit		•	•	•							
Front end loader		•	•	•	•	•	•	•	•	•	•
Landscaping rake		•	•	•	•	•	•	•	•	•	•
Lift boom		•	•	•							
Moldboard plow		•	•	•	•	•	•	•	•	•	•
Planter-fertilizer		•	•	•	•	•	•	•	•	•	•
Rear mount grader blade		•	•	•	•	•	•	•	•	•	•
Roller leveler kit		•	•	•	•	•	•	•	•	•	•
Rotary broom		•	•	•	•	•	•	•	•	•	•
Seeder-spreader		•	•	•	•	•	•	•	•	•	•
Shredder-grinder		•	•	•	•	•	•	•	•	•	•
Sickle bar mower		•	•	•	•	•	•	•	•	•	•
Tandem disc harrow		•	•	•	•	•	•	•	•	•	•
Thatcher		•	•	•	•	•	•	•	•	•	•
Tractor cab		•	•	•	•	•	•	•	•	•	•
Trailing cultivator		•	•	•	•	•	•	•	•	•	•
Trailing gang mowers		•	•	•	•	•	•	•	•	•	•
Universal tool bar		•	•	•	•	•	•	•	•	•	•
Vacuum					•	•	•	•	•	•	•

(1) Requires Three-Point Hitch 8-5422 and Rear PTO 8-3222.

(2) Requires Slot Hitch 8-5521 or Clevis Hitch 8-5511.

(3) Requires 42" Side Discharge Mower 5-1011 and 2-Wheel Dump Cart 7-2212.

WHEEL HORSE attachments.



B-100 Automatic with 36" tiller

Wheel Horse is a leader in the lawn and garden industry. Your Wheel Horse tractor has 29 years of garden tractor experience behind it.

Since our first year in business, we've been making the finest in mowing and gardening attachments and accessories.

Easy to read charts list all Wheel Horse attach-

ments and accessories by name and part number to assist when ordering.

Now it's up to you! Make your selection and match the attachments and accessories to your outdoor maintenance jobs. Your authorized Wheel Horse dealer is ready to help you. He's listed in the Yellow Pages under "Lawn Mowers".

1 60" Rear mount mower (5-0901) Heavy duty rear mount mower cuts large acreage fast. Rear PTO drive, mounts on 3-point hitch. (Fits "D" Series only)

2 Here's a bottom view of our 60" mower — note the special grass deflectors and extra heavy-duty spindles.



1



2

designed for total convenience.

3 48" Side discharge mowers (5-1211 & 5-1221) Takes large lawns in hand. Cutting height: 1½" to 3½". 3 blade, full floating design. (Fits "C" & "D" Series)

4 Here's a bottom view of our 48" mower — note the curved one piece deck — no place for clippings to stick and clog your mower! Baffles help create air lift to assure smooth, even cut.

5 42" Side discharge mower (5-1011) Required with power lawn vacuum (7-2613). 3 Hi-Lift blades give smooth, even cut. Adjustable cutting height 1½" to 3½". (Fits "C" Series)

6 36" Side discharge mower (5-0722) Full floating design with 3 Hi-Lift blades. Tach-a-matic™ mounting. (Fits "B" & "C" Series)

7 36" Rear discharge mower (5-0622) Use with lawn sweeper. Pick-up clippings as you mow. Full floating design minimizes scalping. Cutting height: 1½" to 3½". (Fits "B" & "C" Series)

8 42" and 48" mowers feature spring loaded discharge chute that can be raised when transporting mower. Reduces mower width by 6".

9 37" and 42" Snow throwers (6-0202 & 6-6214) Mounts in front Tach-a-matic hitch. New side plates improve tracking characteristics. Heavy duty auger. 180° chute rotation. (Fits "B" & "C" Series)

10 48" Snow thrower (6-7452) PTO driven, mounts in front Tach-a-matic hitch. Chute rotates 240°. Raises and lowers hydraulically. (Fits "D" Series)



WHEEL HORSE attachments

11 56" Snow/dozer blade (6-1142) Move snow, sand, dirt, and gravel. 30° index left or right. Reversible scraper blade. Mounts on rear axle for improved traction. (Fits "D" Series)

12 42" Snow/dozer blade (6-2132 & 6-7123) Plows snow, moves sand, dirt or gravel. 30° index left or right. Raising and lowering control. Reversible scraper blade. (Fits "A", "B" & "C" Series)

13 50" Grader blade (7-1122) Handy in dirt, sand, or gravel. Use to level, grade, or terrace. Raises and lowers hydraulically. Index 20° left or right. (Fits "D" Series)

14 40" Grader blade (7-1114) Use to level, grade or terrace in sand, gravel or dirt. Raises and lowers from driver's seat. Indexes 20° left or right of center. Mounts in Tach-a-matic hitch. (Fits "B" & "C" Series)

15 50" Tiller (7-1261) Pulverizes garden soil. Mounts on 3-point hitch and is PTO driven. Removable tines narrow tiller to 44" or 38". Breaks up clods into fine, workable soil. (Fits "D" Series)

16 36" Tiller (7-1252) Breaks up and pulverizes garden soil. Designed for quick installation and removal. Tilling depth 4" to 6". Prepares gardens for planting. (Fits "B" & "C" Series)

17 36" Aerator (7-2412) Sharp spikes penetrate ground, allows food and moisture to reach roots. Adjustable 6" wheels make it easy to transport. (Fits all "A", "B", "C" & "D" Series)

18 Lawn sweepers (7-2513 & 7-2522) 31" or 38" lawn sweepers. Sweeping height is adjustable from driver's seat. Convenient rear dumping. (Fits "A", "B", "C" & "D" Series)

4



11



13



15



17



12



14



16



18

help you four seasons of the year.

19 32" Lawn roller (7-2312)
Heavy-duty welded steel tank weighs approximately 345 lbs. filled with water. Smooths rough turf and ground. Scraper cleans drum. (Fits "A", "B", "C" & "D" Series)

20 32" Disc (7-1513) Eight 11" blades adjust to 4 different positions; 0°, 10°, 20°, 30°. Holds 2 standard size concrete blocks. (Fits "B" & "C" Series)

21 Cultivator (7-1723) Cultivator helps remove weeds and aerates your garden. The 9 shovels have reversible blades for extended wear. (Fits "B" & "C" Series)

22 Spiked tooth harrow (7-1612) 18 hardened steel reversible spikes break up and pulverize soil. Spike angle and depth are adjustable. (Fits "B" & "C" Series)

23 4 Wheel wagon (7-2112)
Hauls loads up to 600 lbs. 11 cubic feet capacity. Removable sides for hauling bulky loads. All steel construction. Pneumatic tires (Fits "A", "B", "C" & "D" Series)

24 2 Wheel dump cart (7-2212)
Holds loads up to 415 lbs. Dumps completely over for unloading. All steel construction. 16" pneumatic tires. (Fits "A", "B", "C" & "D" Series)

25 Power lawn vacuum (7-2613) cleans while you mow. Picks up leaves, grass clippings, small twigs and litter. Requires 42" side discharge mower (5-1011) and Dump Cart (7-2212). (Fits "C" Series)

26 All Wheel Horse mower attachments carry the OPEI (Outdoor Power Equipment Institute) Safety Label, stating they conform to the latest safety standards.



19



21



23



25



20



22



24



26

Allied attachments

In addition to the many attaching tools offered by Wheel Horse, you may select from dozens of other "Allied" attachments designed for practically any specific job you can think of. In this catalog you'll find a chart listing "Allied" attachments and the specific Wheel Horse tractor model which they fit. "Allied" attachments are made by other independent manufacturers. It should be understood, Wheel Horse does not in any way warrant their suitability, quality, performance or safety. Our "mounting consent" simply means that the attachment may be mounted on the Wheel Horse tractor listed without voiding the tractor warranty. Your local Wheel Horse dealer can advise you of the details of each manufacturer's warranty. We encourage you to ask.







6

1 Estate sprayer — Sprays up to 3 gallons per minute at pressures up to 300 lbs. (Fits "B" & "C" Series)

3 Front-end loader — Heavy duty loader allows you to pick-up, transport and dump loads up to 500 lbs. (Fits "C" and "D" Series)

2 Compactor — Rake — Picks up lawn debris and compacts it in disposable plastic bag. Dependable ground drive. (Fits "B", "C" and "D" Series)

4 Landscaping rake — For leveling soil, spreading material on drives, parking areas, ball diamonds. Adjustable working height. Available in 4 and 6 foot widths. (Fits "B", "C" and "D" Series.)



5 Moldboard plow — Available in 8", 10" and 12" models. 3-point category "O" and clevis hitch mountings available. (Fits "B", "C" & "D" Series)

6 Planter-fertilizer — Unit is ground driven for planting and fertilizing in one operation. Complete with different seed plates and sprockets for varied spacings. (Fits "B", "C" & "D" Series)

7 Rear-mount grader blade — Reversible blade is ideal for landscaping, leveling, and grading. Adjustable blade index of 15° and 30° left or right. Requires Category "O" 3-point hitch. (Fits "D" Series)

8 Rotary broom — Keeps walks, drives and parking lots clean. Can be used for light snow removal. Broom is 48" wide and can be indexed 30° left or right. (Fits "B", "C" & "D" Series)

9 Broadcast Spreader-seeder — Spreads grass seed, fertilizer or ice melter in a controlled pattern up to 20 feet wide. Rust proof polyethylene hopper has a 1.2 bushel capacity. (Fits "A", "B", "C" and "D" Series.)

10 Spreader-seeder — Spreads seed, fertilizer over a 36 inch area. All metal construction with baked enamel finish. Hopper capacity is 3145 cubic inches. (Fits "A", "B", "C" and "D" Series.)

11 Shredder-grinder — Shreds leaves, stalks, tree trimmings, vines, garbage, newspaper and tin cans. Grinding chamber has 24 free-swinging hardened-steel hammers. Belt driven from tractor. (Fits "B" and "C" Series.)

12 Sickle bar — Cuts a 4-foot swath in heavy grass, weeds and light brush. Cutter bar offers full-floating action. Its lever adjusted from 45° below horizontal to nearly 90° vertical. (Fits "C" and "D" Series.)

13 Tandem disc harrow — Equipped with four gangs. Each gang has four heat-treated steel discs. Gangs can be set at 10, 15 or 20 degree angles or horizontally. Requires Category "O" 3-point hitch. (Fits "D" Series.)

14 Gang reel mower — Cuts a wide 72" swath in one pass. One lever raises all 3 gangs for transport. (Fits "D" Series.)

15 Tractor cab — Keeps warmth in, rain and snow out. Tight fitting cab covers are heavy high-tensile strength fabric coated with a durable vinyl. Heavy weight tubing supports cabs. (Fits "B", "C" and "D" Series.)


16 Spring-Shank cultivator — Eight heavy-duty spring steel shanks can be positioned for required row spacing. Adjustable cultivator working width. Requires Category "O" 3-point hitch. (Fits "D" Series tractors.)

Other Allied Attachments Not Pictured


- Aerator — commercial
- Aerator — coring
- Aerator — slicing
- Drawbar Attachment
- Fork Lift Kit
- Lift Boom
- Rear Blade Scarifier
- Roller Leveler Kit
- Shredder-grinder
- Sprayer — Self-powered
- Thatcher
- Trailing Gang Mower
- Universal Tool Bar
- Vacuum




9




11




13




15




10



12



14



16

WHEEL HORSE

MOWERS

Description	60" Rear Mount	48" Side Discharge	48" Side Discharge	42" Side Discharge	36" Side Discharge	36" Rear Discharge	32" Side Discharge
Part Number	5-0901	5-1211	5-1221	5-1011	5-0722	5-0622	5-0212
Cutting Height	1" to 6"	1½" to 3½"	1½" to 3½"	1½" to 3½"	1½" to 3½"	1½" to 3½"	1½" to 3½"
Number of Blades	3	3	3	3	3	3	2
Drive	Rear PTO	Belt	Belt	Belt	Belt	Belt	Belt
Lift Method	Hydraulic	Hydraulic	Attach. Lift	Attach. Lift	Attach. Lift	Attach. Lift	Attach. Lift
Overall Length	44"	34.5"	34.5"	34.5"	31"	33"	37"
Overall Width	67"	61"	61"	55"	46"	38"	36"
Attachment Method	3-point Hitch	Tach-a-matic™	Tach-a-matic™	Tach-a-matic™	Tach-a-matic™	Tach-a-matic™	Floating Link
Approx. Shipping Weight	350 lbs.	150 lbs.	150 lbs.	120 lbs.	120 lbs.	112 lbs.	60 lbs.

SNOW/DOZER BLADES

Description	56" Blade With Frame	42" Blade With Frame	42" Blade With Frame
Part Number	6-1142	6-2132	6-7123
Max. Operating Width	56"	42"	42"
Index Adjustment	30°, 0°, 30°	30°, 0°, 30°	30°, 0°, 30°
Lift Method	Hydraulic	Attach. Lift	Attach. Lift
Blade Radius	12"	12"	12"
Attachment Method	Quick-Hitch	Quick-Hitch	Floating Link
Overall Width	56"	42"	42"
Overall Blade Height	21"	15½"	15½"
Approx. Shipping Weight	140 lbs.	112 lbs.	94 lbs.

C-100

8 SNOW THROWERS

Description	48"	42"	37"
Part Number	6-7452	6-6214	6-0202
Auger Diameter	16"	12"	12"
Drive	PTO	Belt	Belt
Overall Height	39"	32"	32"
Overall Width	48.5"	42.5"	37.5"
Attachment Method	Tach-a-matic™	Tach-a-matic™	Tach-a-matic™
Approx. Shipping Weight	225 lbs.	179 lbs.	164 lbs.

GRADER BLADES

Description	50"	40"
Part Number	7-1122	7-1114
Maximum Operating Width	50"	40"
Index Adjustment	20°, 0°, 20°	20°, 0°, 20°
Lift Method	Hydraulic	Attachment Lift
Blade Radius	5"	5"
Attachment Method	Quick-Attach	Tach-a-matic™
Overall Width	50"	40"
Overall Height	5⅞"	5⅞"
Approx. Shipping Weight	55 lbs.	36 lbs.

TILLERS

Description	50"	36"
Part Number	7-1261	7-1252
Cutting Edges	32	24
Rotor Diameter w/Tines	14½"	13½"
Operating Depth	0" to 8"	0" to 6"
Depth Control	Hydraulic Lift	Attachment Lift
Drive	Rear PTO	Belt
Attachment Method	3-point hitch	Quick Hitch and Tach-a-matic™
Overall Width	50"	36"
Overall Height	25"	15"
Approx. Shipping Weight	240 lbs.	190 lbs.



attachment specifications

DISC-HARROW-CULTIVATOR

Description	32" Disc	Cultivator	Harrow
Part Number	7-1513	7-1723	7-1612
Max Operating Width	32"	34"	44"
Number of Blades	8	—	—
Blade Diameter	11"	—	—
Blade Angle Adjustment	0°, 10°, 20°, 30°	—	—
Number of Pegs	—	9	18
Length of Pegs	—	14"	4½"
Attachment Method	Slot, or Clevis Hitch	Tach-a-matic™ Slot, or Clevis Hitch	Slot Hitch
Adjustments	Blade Angle and Depth	2-way Shovel Adjustment Depth	Peg Angle, 2-way Peg Adjustment
Overall Width	34"	36"	47"
Overall Height	14½"	14"	22"
Approx. Shipping Weight	75 lbs.	59 lbs.	55 lbs.

LAWN ROLLER AND AERATOR

Description	32" Lawn Roller	36" Aerator
Part Number	7-2312	7-2412
Number of Discs	—	17
Disc Diameter	—	10"
Adjustable Depth	—	0", ¾", 1", 1½", 2¼", 3", 3¾", 4"
Methods of Attachment	Drawbar Hitch	Drawbar Hitch
Overall Width	33"	39"
Overall Height	18"	18"
Drum Diameter	18"	—
Maximum Operating Weight	345 lbs.	140 lbs.
Approx. Shipping Weight	81 lbs.	80 lbs.

LAWN VACUUM

Description	Lawn Vacuum
Part Number	7-2613
Capacity (Bushels)	21
Hose Diameter	6"
Blower RPM	3920
Overall Width	34"
Approx. Shipping Weight	120 lbs.

LAWN SWEEPERS

Description	38"	31"
Part Number	7-2522	7-2513
Capacity (Bushels)	19	14
Height Adjustment	0"-2½"	0"-2½"
Rear Dumping	Yes	Yes
Attachment Method	Drawbar Hitch	Drawbar Hitch
Overall Width	53"	46"
Overall Height	29"	29"
Approx. Shipping Weight	110 lbs.	104 lbs.

TRAILERS

Description	2-Wheel Dump Cart	4-Wheel Utility Wagon
Part Number	7-2212	7-2112
Capacity	5½ Cubic Feet, 415 lbs.	11 Cubic Feet, 600 lbs.
Tire Size	4:00/4:80x8	4:00/4:80x8
Sides	Permanent	Removable
Attachment Method	Drawbar Hitch	Drawbar Hitch
Overall Length	60"	96"
Overall Width	34"	33"
Overall Height	21½"	27"
Approx. Shipping Weight	90 lbs.	200 lbs.

A-60 ELECTRIC HORSE™



WHEEL HORSE accessories...

Here are 37 reasons how Wheel Horse accessories can add comfort, convenience, efficiency and sparkle to your tractor. Look 'em over and then talk to your dealer. He'll be glad to show you why buying a genuine Wheel Horse accessory is the

best thing that can happen to you or your tractor. It's no wonder that Wheel Horse is considered a leader in the industry. We're always trying to make outdoor chores easier for you.

	Part Number	D-200 Automatic	D-180 Automatic	D-160 Automatic	C-160 Automatic	C-160 8-Speed	C-120 Automatic	C-100 8-Speed	B-100 Automatic	B-80 4-Speed	A-80 (Electric)	A-80 (Recoil)	A-60 Electric Horse	A-60 Ricochet
Arm Rests	8-2010		•		Std	•	•	•						
Deluxe Seat with Arm Rests	(1) 101545	Std	•											
Chrome Wheel Disc	8-0512				•	•	•	•	•	•				
Dual Wheel Adapter	8-0731				•	•	•	•	•	•				
Electric Lift	8-4221					•		•		•				
Hydraulic Lift	8-4113				Std		•		•					
Fuel Gauge	(1) 102587	Std	Std	•										
Slot Hitch	8-5521				•	•	•	•	•	•				
Clevis Hitch (Type A)	8-5511				•	•	•	•	•	•				
Three-Point Hitch (Category O)	8-5422	Std	•	•										
Rear Power Take-off	8-3222	Std	•	•										
Hour Meter	(1) 101541	Std	•	•	Std	•	•	•	•	•				
Dash Panel Light	(1) 101544	Std	•	•										
Flush Mounted Head and Taillights	8-0814				Std	Std	Std	Std	•	•	•			
Sealed Beam Head and Taillights	8-0820	Std	Std	•										
Oil Pressure Gauge	(1) 101542	Std	•											
Spring Assist for 37" Snow Thrower	8-4311								•	•				
Cleat Tires (Rear 8:50x12)	8-2841				•	•	•	•	•	•				
Turf Saver Tires (Rear 27x9:50-15) (Front 18x8:50-8)		(2)	(2)	(2)										
X-tra Traction Terra Tires (Rear 26x12:00-12) (Front 18x8:50-8)		(2)	(2)	(2)										
Super Terra Grip Tires (Rear 27x8:50-15) (Front 18x8:50-8)		(2)	(2)	(2)										
X-tra Traction Super Terra Grip Tires (Rear 26x12:00-12) (Front 18x8:50-8)		(2)	(2)	(2)										
Tire Chains (Terra Tires)	8-2541	•	•	•										
Tire Chains (Terra Grip)	8-2621	•	•	•										
Tire Chains (Turf Saver)	8-2631	•	•	•										
Tire Chains (Turf Saver)	8-2142										•	•		
Tire Chains (Turf Saver)	8-2511				•	•	•	•						
Tire Chains (Turf Saver)	8-2521								•	•				
Transmission Oil Temp. Gauge	(1) 101543	Std	Std	•										
Disc Turning Brakes	8-1903	Std	•	•										
Rear Wheel Weights	8-1152										•	•		
Rear Wheel Weights (12" Tires)	8-1112	•	•	•	•	•	•	•	•	•				
Rear Wheel Weights (15" Tires)	8-1141	•	•	•										
Front Wheel Weights	8-1212	•	•	•	•	•	•	•	•	•				
Touch-Up Paint	(1)	•	•	•	•	•	•	•	•	•	•	•	•	•
Grass Bag Kit	8-6650										•	•		
Grass Bag Kit	86612													

(1) Available through dealers' parts department.

(2) "D" Series tractors are available with any of 4 different tire options: price varies with tire styles.

provide year-round dependability.

1 Arm rests (8-2010) Tilt-away arm rests are padded with polyfoam for operator comfort. Vinyl covered and water proof for lasting durability. (Fits "C" Series)

2 Deluxe seat (101545) With tilt-away arm rests and spring suspension that absorbs jolts and vibration. The 6-way adjustable seat is polyfoam padded. (Fits "D" Series)

3 Chrome wheel discs (8-0512) Add a custom touch to your tractor. They snap in position. (Fits "B" & "C" Series)


4 Dual wheel kit (8-0731) Lets you bolt a second wheel for added flotation and traction. Tire and wheel not included. (Fits "B" & "C" Series)

5 Fuel gauge (102587) With big easy-to-read dial to register gas supply. Gauge is incorporated in fuel tank cap. (Fits "D" Series)

6 Clevis hitch (type A) (8-5511) Stabilizes action of ground engaging attachments. Raising, lowering controlled by either electric, hydraulic or manual lifts. (Fits "B" & "C" Series)

7 Slot type hitch (8-5521) Tows, raises, lowers ground breaking and rear mounted attachments. Controlled by either electric, hydraulic or manual lifts. (Fits "B" & "C" Series)

8 Heavy-duty category "O" 3-point hitch (8-5422) Adapts to many farm type category "O" implements. Hydraulically controlled. Attachments hook-up easily and quickly.



WHEEL HORSE accessories..

9 Dash panel light — Hour meter — Transmission oil temperature and Oil pressure gauges — Meter and gauges monitor tractor performance. (See page 10 for tractor application)

10 Electric lift (8-4221) Permits easy raising and lowering of attachments. Operated by switch on dash panel. Available for 4 and 8 speed tractors. (Fits "B" & "C" Series)

11 Hydraulic powered lift (8-4113) Raises and lowers front, middle and rear-mounted attachments. Available for automatic tractors. (Fits "B" & "C" Series)

12 Flush mounted headlights and taillights (8-0814) Provide safety. The dual head lights provide good visibility for working after dark. (Fits "A" & "B" Series)


13 Sealed beam head lights (8-0820) Throw a high-intensity wide beam for working in the dusk and darkness. Tail Lights included. (Fits "D" Series)

14 Grass bag (8-6650) Holds two full bushels of clippings. Bag detaches easily for emptying. (Fits A-80; also available for A-50, 8-6612)

15 Splined rear PTO (8-3222) Provides 2000 rpm for power driven front and rear-mounted attachments. (Fits "D" Series)

16 Wheel Horse Red and Beige Paint — In pressurized cans to match your tractor and attachments. Keeps them looking new.

12



11



13



15



10



12



14



16

to make your chores easier!

17 Turf saver tires provide high flotation and are easier on lawns. Rear 27x9:50-15. Front 18x8:50-8. Tire chains available. (Fits "D" Series)

18 X-tra traction terra tires These extra wide flotation tires give more traction without compaction. Rear 26x12:00-12; Front 18x8:50-8. Tire chains available. (Fits "D" Series)

19 Super terra grip tires provide high flotation and excellent traction in most soils. Rear 27x8:50-15; Front 18x8:50-8. Tire chains available. (Fits "D" Series)

20 X-tra traction super terra grip tires provide high flotation with maximum mobility. Rear 26x12:00-12; Front 18x8:50-8. (Fits "D" Series)

21 Cleat tires (8-2841) Provide good traction in most soils and snow. (Fits "B" & "C" Series—dealer-installed option)

22 Tire chains — Extra heavy gauge chains that flex and bite in snow for better traction. (Fits "A", "B", "C" & "D" Series)

23 Disc turning brakes (8-1903) Independently operated rear wheel brakes for quicker, sharper turns. (Fits "D" Series)

24 Wheel weights — Extra pulling traction for working in soft ground or snow. Easy to install. (Fits "A", "B", "C" & "D" Series)



17



19



21



23



18



20




22



24

WHEEL HORSE Tach-a-matic^(TM) hitches for quick, easy installation of attachments.

"Tach-a-matic. As simple as A-B-C-D!"



A Align mower under tractor and attach lift link.



B Raise mower with attachment lift, insert in Tach-a-matic hitch, close latch.

Most other Wheel Horse attachments mount on our exclusive Tach-a-matic hitches!

C Snap idler box in front Tach-a-matic hitch.



D Install belt — adjust tension and you're ready to mow!



The allied attachments shown in this catalog may be mounted on the tractor listed without voiding the Wheel Horse warranty. Wheel Horse does not in any way guarantee these product's quality, performance or safety.

At the time of printing (6-74), product information and specifications, as shown, were correct. Wheel Horse Products, Inc. reserves the right to change product specifications, designs and standard equipment without notice and without incurring obligation.



WHEEL HORSE

lawn & garden tractors

Wheel Horse Products, Inc.

515 West Ireland Road • South Bend, Indiana 46614