

Wheel Horse®

1977





WHEEL HORSE
lawn & garden tractors

Wheel Horse® has just for your size of place.

A-SERIES

Designed for care of the small lawn. Five A-Series units mow, sweep, roll and aerate your lawn with the touch of a professional. Handy carts help you haul debris, clippings and other materials.

Choose a 5 HP or 8 HP gas-powered riding mower; a quiet, battery-powered riding mower; 8 or 10 HP lawn tractor. Every "A" series lawn tractor or riding mower comes complete with a rotary mower. The lawn tractors do double duty! Each is capable of clearing snow with an optional dozer blade. If you're a homeowner with a lawn that's too big for a walk-behind mower, but too small for a large tractor, the A-Series "Lawn Care Line" is for you. Turn to pages 4, 5 and 17 for the full story.

B-SERIES

Four hefty lawn and garden tractors are designed for care of the small to intermediate size lot. They keep your lawn in top shape . . . help out in the garden, too.

The '77 B-Series gives you a full range of work power. 7, 8 and 10 HP gas-powered models utilize the proven Wheel Horse® Uni-drive transaxle to provide six forward and two reverse speeds. A battery-powered garden tractor provides unexpected muscle. And it refuels by just plugging in to any 110 volt grounded household outlet.

The "B" Series: Tough enough to work for you year 'round, yet a bargain to buy and operate. That's why these are among our best-selling lawn and garden tractors year after year. Read full details on pages 6, 7 and 17.



t the right tractor

C-SERIES

Five tractors that are ideal for intermediate to large lawns and gardens. This dependable series gives you no-nonsense power and versatility.

12 HP and 16 HP gas-powered models let you choose manual 8-speed transmission or smooth automatic transmission. There's a battery-powered tractor, too. It's quiet, clean, odorless . . . and supplies all the power you need for lawn and garden tasks. Plugs in to any grounded 110 volt household outlet to "refuel."

That sums up the Wheel Horse® C-Series for 1977. Get the full story on these tractors by turning to pages 8, 9 and 17.



D-SERIES

The tractor for large lawns and gardens. Three models in all: 16 HP and 19.9 HP twin cylinder units, both with automatic transmission; and the totally different 19.9 HP D-250 with a four-cylinder, liquid cooled engine. Its precision design and host of exclusive features have established a new standard of excellence for lawn and garden tractors.

D-Series options like a three-point hitch, turning brakes and power take-off (standard on the D-250) give these tractors super versatility. Three big models meet the challenge of the largest lawns and gardens. Get full details on pages 10 through 13.



...and service to back them up.

Just ask the man who owns one.

The best advertising we have is from Wheel Horse® owners. What do they like about their lawn and garden tractors? Quality. A Wheel Horse tractor is built to take hard use. Simple, straightforward design coupled to tight quality control pays off in many trouble-free operating hours. The uncomplicated design makes routine maintenance easier, too. Major components are easy to get to. Wheel Horse® does away with the frills and fancy stuff to give you a basic dependable lawn and garden tractor.



Factory trained service personnel give top-notch service.

A Wheel Horse® owner will also tell you he likes the dependable service from his authorized dealer. He's specially trained to do the job. Wheel Horse® was one of the first in the business to operate regional training schools for dealers. These continuing schools keep the dealer up to date on service procedures and techniques. The latest advances in microfiche information storage of parts and service information are utilized to provide fast service. A well stocked spare parts inventory helps your Wheel Horse® dealer service what he sells.



Our new "Owner Protection Plan" speeds warranty service work.


If your Wheel Horse should require warranty service, just present your Owner Identification Card to your dealer. The card assures you of service at any authorized Wheel Horse® dealer. And it helps reduce the paperwork so that your problem can be handled quickly and efficiently. This systematic approach to warranty service helps us fulfill our obligation to give customers the best service possible. And that's one of the quality traditions that keeps customers coming back. Just ask the man who owns a Wheel Horse lawn and garden tractor.




A-SERIES

Introducing Great Lawn Tractors and Riding Mowers for Small Lawns.





A-100 This powerful lawn tractor boasts a 10 HP engine for dependable performance. It has a built-in electric starter and a big one-and-a-half gallon gas tank. An all-gear transmission gives you three forward speeds and one reverse. It has a 36", three-blade mower as standard equipment to make short work of small lawns. Extra wide tires front and rear help protect your turf. A handy rear drawbar hitch lets you pull other lawn care attachments like a lawn sweeper, roller, aerator, and dump cart. Mowing's not all this one will do. Come winter, outfit it with a 42" blade and tire chains to keep your driveway free of snow. Standard safety features include a parking brake, safety interlock system that helps prevent accidental starting, and a PTO brake that stops the mower blades fast.



A-90 Here's a fine performing lawn tractor that boasts a three-blade 36" mower as standard equipment. It gets the mowing done fast! An 8 HP engine starts with a flip of the ignition key. Its four-speed manual transmission lets you select the best mowing speed . . . separate brake and clutch pedals make for easier starting on sloping lawns. It has the same design features as the A-100, including headlights, and takes the many lawn care attachments available for good lawn grooming. Moves snow, too, with optional 42" dozer blade.



A-70 The A-70 boasts a smooth running, sound-baffled 8 HP engine with fingertip key starting. Its five-speed transmission supplies ample traction power to the oversize rear tires. The A-70's built-in 30" rotary mower handles your grass cutting fast. An optional rear bagger collects 5½ bushels of clippings before it needs emptying. The front console puts the ignition, lighter and light switch within easy reach. The seat and rear console both flip forward to expose the gas tank, battery and engine.



A-60 The most inexpensive "Horse" you can buy. And you get famous Wheel Horse® service behind this compact riding mower. The 5 HP engine starts easily with recoil starter. Choke, throttle and gear shift are mounted within easy reach of the driver's seat. Select the speed you desire with the four-speed transmission. The A-60 has separate clutch and brake pedals just like the more expensive models. A single blade 26" mower is standard equipment on the A-60.



A-90 LAWN TRACTOR



A-70 RIDING MOWER WITH REAR BAGGER




A-60 RIDING MOWER

B-SERIES

Tractors That Give You Mowing
and Gardening Muscle.





B-100 First of three "B's" sports a hard-working 10 HP engine that's counter-balanced to lessen vibration. Its cast iron block stands up to many years of wear and tear. Couple this power plant to an 8-speed Uni-drive transaxle and you've got a winner. Separate clutch and brake pedals make for more convenient operation. A separate brake on the PTO clutch stops powered attachments fast. As on all "B" Series tractors, take your choice of wide turf saver tires for mowing . . . or cleat tires for gardening and other ground breaking jobs.



B-80 Our best selling tractor year after year! The B-80 has a tough 8-speed Uni-drive transaxle to give it extended range for gardening applications. It's identical to the B-100, except it features an 8 HP cast iron engine that's stingy on gas. It takes a 36" side or rear discharge rotary mower . . . plus a wide array of gardening and landscaping attachments.



B-60 Here it is — the most basic, down-to-earth **garden** tractor in the Wheel Horse® line. At the heart of this full-size "B" tractor is a 7 HP cast iron engine that goes a long way on a tank of gas. A recoil starter operates from the driver's seat. Behind the engine is the same 8-speed Uni-drive transaxle used in our larger garden tractors. You can till beautifully with a 36" tiller that mounts fast in rear "quick" hitch. Big tractor performance makes the new B-60 today's best garden tractor value.



B-80 WITH 35" MOWER



B-60 WITH 36" MOWER

C-SERIES

Everything You'd Expect of
Full-Feature Garden Tractors.



C-160 AUTOMATIC WITH 42" MOWER, LAWN ROLLER

Here's an inside look
at the C-160 Automatic.


1. Spring suspension seat absorbs bumps and jolts. 2. Two gallon fuel tank gives lots of working time between fuel-ups. 3. Parking brake provides added security when tractor's not in use. 4. Safety interlock system helps prevent accidental starts. 5. Head and tail light stretch your work day. 6. Cast iron engine stands up to years of wear and tear. 7. 32 amp hour battery provides extra power for cold morning starts. 8. Tach-a-matic hitches let you install, remove attachments quickly. 9. Automatic drive gives one-lever control of tractor direction, speed. 10. Uni-drive transaxle provides long, dependable service.



C-160 AUTOMATIC SHOWN



C-160 Automatic One of two 16 HP garden tractors in the "C" Series for 1977. This deluxe model gives you automatic transmission for effortless, single lever control of the tractor's speed and direction. Counterbalanced cast iron engine produces all the power you'll need for your medium to large lawn and garden duties. A built-in hydraulic lift gives you fingertip control over attachments. A spring mounted deluxe seat with swing away arm rests increases your comfort as it soaks up the bumps.



C-160 8-Speed Same power and size as the C-160 Automatic, but with a performance proven Uni-drive transaxle. It's a manual transmission that lets you select six forward speeds and two reverse. As with all Wheel Horse lawn and garden tractors, a safety interlock system prevents engine from starting when PTO and traction clutch are engaged.



C-120 Automatic This one has the rugged combination of 12 HP cast-iron engine and automatic transmission for power and maneuverability. Attachments go on fast and easy with Tach-a-matic hitches. A redesigned manual attachment lift makes raising and lowering of rear-mounted implements easy. Larger muffler helps hold down operating noise.



C-120 8-Speed Our lowest-priced "C"! Yet it has the standard "C" Series features that make this a great value: Flush mounted headlights and taillight; spring suspension, high-back seat; and heavy-duty construction throughout. An 8-speed manual transmission lets you select the right speed for the work at hand. A versatile tractor that's economical to buy and operate.



C-160 8-SPEED WITH 42" DOZER BLADE



C-120 AUTOMATIC WITH 42" MOWER, LAWN VACUUM



C-120 8-SPEED WITH MOLDBOARD PLOW

D-SERIES

The Big, Tough, Dependable
Tractors for 1977.





D-250 Different from any other garden tractor you've ever seen. What makes the D-250 so different? First, its four cylinder, 19.9 HP engine is liquid cooled. It runs up to 50 percent quieter than "quieted" air cooled engines. You won't believe your ears when you start it! The D-250 also runs cooler than any air-cooled tractor. That means less wear on engine parts and more efficient lubrication. The D-250 engine has been proven in thousands of miles of automotive use over the past twelve years. D-250 ... unlike any other garden tractor.



D-200 A twin-cylinder, cast-iron engine works hard, but runs smooth as a top. This 19.9 HP power plant is coupled to an automatic transmission. A single lever lets you control speed and direction. Attachment installation is a snap! Tach-a-matic hitches are front and mid-mounted for speed and ease of attachment installation. A hydraulic lift is standard equipment on the D-200. It raises and lowers attachments with a dash-mounted lever control. Optional rear three-point hitch and Power Take Off let you operate a big 60" rear mower or a 50" tiller, as well as other heavy-duty attachments. Disc turning brakes are available to boost D-200 handling during gardening applications.



D-160 The D-160 has a twin-cylinder engine that turns out 16 HP. Climb aboard and fire it up — you'll be amazed how smoothly and quietly this engine runs. The D-160 has the size and automatic transmission of the D-200. Hydraulic lift and electric attachment clutch are standard equipment. There's a list of optional equipment available to match its versatility to your individual needs. Choose either turf saver or cleat rear tires for your D-160 — their wide, high flotation design provides great traction.




D-200 WITH 60" REAR MOWER



D-160 WITH 50" TILLER

D-SERIES

Design and Convenience Features of the D-250 Garden Tractor.



1. Automotive engine turns out 19.9 HP at 3000 RPM. Three-point rubber suspension cuts vibration.

2. Sealed cooling system adds years of life to engine and makes for extra quiet operation.

3. Oil bath air filter is owner serviceable ... no more replacing expensive, dry-type air filters.

4. Large muffler is enclosed in protective housing for extra margin of safety. Tail pipe is routed down, away from driver.

5. Disc-type clutch gives you positive, smooth control ... no grabbing, no belts to wear out.


10. 8" drum-type brakes can be operated independently for turning brake capability. Parking brake is separate from service brakes.

8. Power take off (PTO) located front, mid and rear is standard equipment. When not in use, splined PTO shafts are covered by protective caps.

9. Differential lock gives you two wheel traction for lugging heavy loads for tracking through soft dirt or muddy fields.

7. Ten-speed transaxle provides four forward speeds and one reverse in each of two ranges.


6. Tire options let you choose rear turf saver tread with high flotation ribbed front tire; wide cleat rear tread with high flotation ribbed front tire; or agricultural cleat rear tread with narrow ribbed front tire. See page 29.



INSTRUMENT PANEL

LOWER CONSOLE

Wood-grained instrument panel puts hand throttle, ignition, choke and horn at your fingertips. Panel also carries warning lights for alternator, oil pressure, engine temperature and parking brake. Lower console has controls for parking brake, high-low gear range, gear-shift, rear PTO and differential lock.




HYDRAULIC SEAT

Deluxe seat is hydraulically dampened and spring mounted. The seat adjusts to your body weight for correct support as you operate the D-250.



DIRT SCREEN

A dirt screen is mounted in front of the radiator to keep out clippings and debris. Pulls out easily for washing.



THREE-POINT HITCH

An optional category "O" 3-point hitch is available for attaching plows, harrow, cultivator, tiller and other heavy duty attachments.

Battery Power: Quiet. Clean. Odorless.

Take a
look under
our
hood.



New for 1977: 42" mower
is included on B-145 and C-185

You'll see immediately why *Quiet* is the new sound of lawn and garden care. Powerful batteries supply long-range power to a heavy-duty electric drive motor. There's plenty of muscle for mowing or gardening applications. You can "refuel" practically overnight by simply plugging into any grounded 110 volt household outlet.

And you can forget messing with gas cans or oil changes. These clean-operating battery powered units require a minimum of routine maintenance. Forget costly tune-ups. No more sparkplugs, points, filters or mufflers to replace. No carburetors to clean or adjust.

And all the power you need for every lawn & garden task.



"REFUEL"
BY PLUGGING IN



ON-BOARD CHARGER



HEAVY-DUTY
BATTERIES

You'll be surprised at the capabilities of these three battery-powered "Horses." Why such performance? Because electric power rises to the challenge when the load gets tough. The heavier the load, the higher the motor torque—up to ten times normal capacity. That's why all modern locomotives and many industrial lift trucks are powered by electric motors. Strength to spare. And they do more than just mow grass. The C-185 and B-145 garden tractors take a number of versatile lawn care and gardening attachments. They also move snow with an optional 42" blade.

1. **Electric lift** raises and lowers front mounted attachments like mower and dozer blade. Controlled by dash-mounted toggle switch.
2. **Battery charger** is built in. Just plug in to any grounded, 110-volt household outlet, set the timer switch and the charger does the rest. Restores nearly full charge to batteries overnight.
3. **Batteries** are located under the hood and seat. Filler caps are easy to reach for checking fluid level of batteries.
4. **Turf Saver** tires help protect your grass while mowing. Rear tire chains are available for increased traction during snow removal.
5. **Polyfoam seat** with arm rests is spring mounted to smooth out the bumps and jolts.
6. **Manual transmission** (transaxle) provides four gear ranges. C-185 features a foot accelerator that gives you seven forward and three reverse speeds in each of the transmission's four ranges.
7. **Drive motor** transfers smooth, high-torque power through the transmission to the rear wheels. It's fully enclosed to protect it from dirt and moisture.
8. **Disc brake** is mounted on the transaxle. For safety, a return-to-neutral circuit requires operator to return speed control to neutral position after brake pedal has been depressed, before motion can be resumed.
9. **Power take off (PTO)** provides 36 volts DC to power a 42" front mower. An accessory outlet lets you plug in the optional rotary inverter for 110 volt AC household power.
10. **Headlights** are a standard feature of the C-185 . . . help stretch your work day.



C-185 SHOWN


BATTERY-POWERED A-SERIES, B-SERIES, C-SERIES

Big Stamina for Mowing and Gardening.





C-185 The battery-powered entry in our "C" series. It dishes out power for any job with endurance you wouldn't expect. A handy foot accelerator gives you seven forward and three reverse speeds in each of four gear ranges. A Cruise Control lets you choose either of two constant working speeds — lets you take your foot off the accelerator. You can mow a wide swath with 42" front mower. Takes these standard attachments, too: Lawn sweeper, aerator, roller, dump cart, 42" dozer blade, plow, disc and harrow. C-185 from Wheel Horse®: Powerful, clean and quiet.



B-145 A battery powered tractor for the small to medium lawn and small garden. Six heavy-duty 6-volt batteries provide ample muscle to the drive motor with plenty left over to power a 42" front mower. Just plug in to any 110-volt, grounded household outlet to "refuel" . . . an on-board charger restores most power to the batteries overnight. A dash-mounted throttle lets you choose three forward and two reverse speeds in each of four mechanical gear ranges. Standard features include an electric front lift and a "Power Pulse" switch to give you an extra burst of power on hills and slopes. B-145: A fine performer on your lawn . . . in your garden.



A-85 Here's a riding mower that keeps the neighbors happy with its quiet. You refuel by plugging in to any 110-volt, grounded household outlet and turning on the timer. That's all. The on-board charger automatically switches to "trickle" charge after cycle is completed . . . keeps the batteries fresh until you're ready to mow. The A-85 comes complete with a 32" twin-blade mower. Cutting height adjusts 1½" to 3½" from the driver's seat. An all-gear transmission gives you a choice of five forward speeds in a straight-line shift pattern. A convenient fuel gauge lets you know how much charge is left in the batteries.



B-145 WITH 42" FRONT MOWER



A-85 WITH 31" LAWN SWEEPER

Gardening

Wheel Horse® helps you start and maintain a productive garden.

An array of attachments lets you till, plow and ready the garden for planting. Manual and automatic transmissions provide plenty of power to help you break through the toughest soil.

Gardening with the "D" Series. Shaft-driven tillers pulverize soil and prepare smooth seed beds in one pass. They mount easily on an optional three-point hitch. Disc turning brakes (optional on D-160, D-200) give you nimble turning in loose soil. Other available attachments include a moldboard plow, tandem disc, cultivator, spike tooth harrow. A number of additional allied attachments can be matched to your needs by a Wheel Horse® dealer.

Gardening with "B" and "C" Series. Wheel Horse® engineered attachments help these tractors do a fine job in your garden. Add a 36" quick-mount tiller and get a tilling depth of 4" to 8". Special end covers and drag plate help prepare a smooth seed bed and keep dirt from covering up plants in adjoining rows. Or, both series can handle a moldboard plow if you prefer. After plowing, work over the furrows with an 8-blade disc or 18-blade spike tooth harrow. When your efforts begin to sprout, a cultivator mounts easily to your tractor for weeding. Its nine shovels are reversible for extended wear. You can even get an allied manufactured shredder-grinder attachment to help build your compost heap. And don't forget our hard-working battery-powered tractors — B-145 and C-185. They both take a moldboard plow, disc and spike tooth harrow. Wheel Horse® makes good sense in your garden.



1. New row planter speeds garden work. 2. Powerful 36" tiller fits "B" and "C" Series tractors. 3. D-200 takes a big bite with 50" tiller.

Grass Cutting

Improve your lawn's appearance with less effort on your part.

Lawn grooming comes easy with Wheel Horse®. It's fun, too! Rugged rotary mowers feature full height adjustment and floating action.


Lawn care with "D" Series. Three big rotary mowers help you get the job done. A 48" mid-mount mower has three blades to assure smooth, even cut. A bigger 60" model takes an extra wide cut. A heavy-duty 60" rear mount mower attaches to optional three-point hitch and gets its power from an optional rear PTO. If you have heavy grass or weeds to mow, your Wheel Horse® dealer can advise you on these allied attachments: 48" sickle bar mower, or ganged reel mowers are available in various configurations to fit your requirements.

"C" Series lawn power gives you five rotary mowers: 48" side discharge model; 42" and 36" side or rear discharge models. All feature full floating action and have three hi-lift blades that lift grass for even cutting. 42" side discharge mower is ideally suited to a lawn vacuum that cleans while you mow. Picks up grass clippings, leaves, twigs and litter. Battery-powered C-185 takes a 42" rear discharge front mower that can be dealer-modified for side discharge. A handy sweeper, roller and aerator simplify lawn grooming. Allied attachments like a sickle bar, thatcher and spreaders help make the "C" Series even more helpful.

"B" Series. Choose a 36" side or rear discharge mower or a 42" mower (B-100 only) to get the cutting done beautifully. Hook up a 31" or 38" lawn sweeper and you've got a great mowing combination that cuts and sweeps in one pass. B-145 battery-powered tractor mows with a 42" front mower. Standard Wheel Horse® lawn care attachments fit the "B" Series.

"A" Series. This lawn care line comes equipped with built-in rotary mowers: 36" on the A-100 and A-90; 32" on the A-85 battery-powered rider; 30" on the A-70 rider; and 26" on the A-60 rider. These "A" units pack enough power to pull a sweeper, aerator and roller, too.

1. 60" mid-mount mower gives big cutting capability to the "D" Series. 2. 48" mid-mount mower fits "C" and "D" Series tractors. 3. Hefty 36" mower is available in side and rear discharge versions. 4. 42" front mower for battery powered tractors has three separate blade motors.



Debris Removal

Big clean-up job ahead? Here are a few handy tips to make the job go faster.

Cleaning up after a storm or routine lawn maintenance, Wheel Horse® helps keep your spread neat. Cut up fallen limbs and load them into a handy dump cart . . . carry away trash, and debris, too.

"D" Series. Whisk away leaves and clippings easily with 31" or 38" lawn sweepers. If you're pruning trees or clearing away fallen branches, a large 18 cu. ft. dump cart or 4-wheel wagon can hold lots of debris. A rotary broom available through your Wheel Horse® dealer helps clear walks, drives and parking lots. It sweeps a wide 48" path and hooks into the front PTO.

"C" Series tractors tackle big clean up jobs. All five models easily tote a 2-wheel dump cart for hauling away debris. Keep your yard spotless with a power lawn vacuum that cleans while you mow. Unit attaches to side discharge chute of 42" mower and empties debris into a special hopper that fits a dump cart. For clearing away fallen branches, or for pruning, use a C-185 with rotary inverter then plug in your 110-volt electric chain saw. Handles other power tools also.

"A" and "B" Series tractors easily pull a 31" or 38" lawn sweeper to assist you in picking up grass clippings and leaves. You can dump the sweeper completely without leaving the tractor's seat. All models also handle a two-wheel dump cart for hauling debris, dirt or any other yard maintenance materials. The A-70 riding mower has its own optional rear bagger that removes leaves and other debris quickly. However big your clean-up job, your A, B, C or D Series tractor helps keep your yard trim and neat.

1. Handy inverter for battery-powered models allows use of 110 volt power tools. 2. Four wheel wagon aids in yard clean up. 3. 31" and 38" lawn sweepers help with leaf removal.



Landscaping

Flexibility of attachments gives your yard a professional touch.

Styling a new yard or shaping up your existing one? Let Wheel Horse® lend some expertise. "B", "C" and "D" Series tractors power you through to completion of the project. Handy attachments move dirt and other materials . . . level ground for seeding . . . even haul the materials you'll need to do the job. Your Wheel Horse is great for handling grading and leveling jobs in places where big machinery won't fit. Wheel weights and cleat tire options give your tractor better footing in soft or muddy soil.

"D" Series landscaping aids include a front-mount dozer blade that gives you lots of push with dirt, sand and gravel. A 50" mid-mount blade is perfect for grading. It raises and lowers hydraulically and provides 20° index left or right. Allied attachments boost "D" series usefulness. Rear grader blade mounts on 3-point hitch and has indexes of 15° and 30°. A front-end loader handles 500 lbs. payload — all hydraulically. Landscaping rake and leveling attachments spread material on driveways, parking areas, ball fields, and other locations. A back hoe comes in handy for excavating, planting trees and shrubs.

"C" Series gasoline-powered tractors can be equipped with a 42" dozer blade or 40" mid-mount grader blade. All blades install easily on Tach-a-matic hitches and raise or lower from drivers seat. A front end loader is also available through your Wheel Horse® dealer, as well as other landscaping attachments. Battery-powered C-185 handles dirt and other materials with 42" dozer blade.

"B" Series gasoline-powered tractors have power enough to handle a 42" dozer blade or 40" grader blade for any of the landscaping tasks your yard demands. Maneuverable size, affordable price. A 42" dozer blade attaches to battery-powered B-145 tractor to handle your landscaping jobs.



1. B-100 does great with mid-mount grader blade. 2. Level dirt fast with big 56" blade for D-200, D-160. 3. Lawn patching to do? 5.5 cu. ft. dump cart comes in handy.

Snow Removal

Back saving equipment gets rid of snow fast . . . lets you enjoy winter more.

Your Wheel Horse lawn & garden tractor thrives when the white stuff falls — no need to stow it away for the winter. There's a model to fit your individual snow handling needs, large or small. Add wheel weights and chains and you've got a real snow machine.

Powerful "D" tractors keep going in deep snow. Choose a husky 56" or 59" dozer blade to push snow out of the way fast . . . or hook up a powerful 48" snow thrower to clear deeper snow. Powered by a front PTO, it cuts through deep drifts easily. Mounts in Tach-a-matic hitch. Thrower raises and lowers hydraulically, and 240° chute rotation lets you put snow where you want it. A cab enclosure is also available as an allied attachment to keep you snug as you clear the driveway.


"C" Series tractors team up with a 42" snow thrower or 42" blade to make short work of snow. Snow thrower mounts in Tach-a-matic hitch and has 180° chute rotation to let you put snow where you want it. C-185 battery-powered tractor has its own cold weather gear. Attach a 42" dozer blade to move light snow.

"B" Series tractors let you choose either a 42" dozer blade or 42" snow thrower to power you through snow removal jobs. These powerful tractors run fine in cold weather . . . and an optional cab enclosure will keep you out of it. B-145 tractor takes a 42" blade. This battery-powered unit has super traction with 70% of its weight over the rear wheels.

Even the "A" Series of lawn tractors lead a double life. Hook up a 42" dozer blade to either A-90 or A-100 models and take care of your light snow removal problems.



2



3



1. D-200 with 48" snow thrower handles heavy snow. 2. New 48" snow thrower for the D-250. 3. B-80 with 42" snowthrower.

Small Farming

**One acre or more,
farm work goes faster
when you own
a Wheel Horse®.**

**WE
RECOMMEND THE
D-250**

What's the size of your spread? One acre? Ten acres? Have we got a tractor for you!

The D-250, our four-cylinder, liquid-cooled garden tractor gives you farm-style versatility in a compact size. Standard features like front, mid and rear PTO's, locking differential, turning brakes and hydraulic system assure dependable performance for most jobs . . . any season.

Large acreage to mow? A 60" mid-mount mower rolls under your D-250 and taps into the mid PTO. It raises and lowers hydraulically. Three blades on heavy-duty spindles can really take the punishment of large, rough grass areas. Ground breaking chores to do? Attach a unique reversible plow that lets you turn a furrow coming and going. Its twin plowshares reverse by throwing a single lever. There's also a 12" single-bottom plow available. A 16-blade, tandem disc attaches to the 3-point hitch after you plow. Its 11" blades can be adjusted for various discing angles and widths. A wide, 40-spike harrow levels the soil after you plow and disc. A hefty 40" tiller takes quite a big bite in those large rural gardens. Adjust it for tilling depths up to 10". Its shaft drive is fully enclosed to keep out dirt and promote safe operation. After your crops begin to sprout, keep weeds down with a rear mounted cultivator. Six heavy-duty teeth give you variable cultivating widths. It mounts easily on a universal tool bar especially designed for the D-250. Do you have to push around snow in the winter? A 59" snow blade attaches fast to your D-250. It raises, lowers, and indexes 30° right or left using a single hydraulic system.



1. D-250 handles a unique reversible plow for fast, efficient plowing. 2. Bottom view of 60" mid-mount mower. 3. New front end loader makes the D-250 extra versatile. 4. 40" tiller prepares a fine seed bed; tills to a depth of up to 10".

Estate Acreage

Lots of property to care for? Here's our advice for getting the help you need.

**WE
RECOMMEND
"C" & "D"
SERIES.**

Try one of the Wheel Horse "C" or "D" Series lawn and garden tractors. Your desire for plenty of elbow room

has given you an acre or more of grass to mow. Maybe it's gently rolling or downright hilly. No problem for these tractors. Five "C" models and three "D" models zero in on your individual lawn mowing requirements. Rugged rotary mowers give you mowing widths from 36" to 60" . . . or your dealer can supply allied attachments that take on even heavier tasks. "C" Series tractors can handle 48" side discharge, 42" side discharge, 42" rear discharge and 36" side or rear discharge mowers. C-185 battery-powered model cuts a wide 42" swath with optional front mower. It can be dealer modified for side discharge. To keep things neat while you're mowing, hook up a 31" or 38" lawn sweeper, or a powerful lawn vacuum ("C" Series only). Allied attachments such as 48" sickle bar mower and ganged real mowers up to 11 feet wide in a number of configurations give you lawn expertise. Rugged as they are, these tractors treat your valuable lawn with care on turf saver tires; extra wide versions on the "D" Series give even greater flotation. Headlights let you squeeze more mowing time out of your busy day.



1. 48" side discharge mower shown on C-120. Also fits "D" Series tractors. 2. D-200 with 48" mid-mount mower. 3. D-200 takes a wide 60" rear mower that's shaft driven.

Suburbia

Suburban lawn and garden grooming starts with dependable Wheel Horse® tractors and riding mowers.

WE RECOMMEND "A" AND "B" SERIES

Maybe you prefer the suburban way of life. Our "A" and "B" tractors are the answer to your residential lawn and garden needs. A total of nine models to choose from . . . all designed for top performance. "B" Series tractors give you exciting flexibility. They'll shape up your lawn and make themselves right at home in your garden. They plow, till and cultivate. In winter, the 7, 8 and 10 HP "B's" have ample clout to handle snow with blade or thrower. That goes for our battery-powered B-145, too.

The "A's" are designed primarily for lawn care — mowing, rolling and aerating. The dependable 10 HP A-100 and 8 HP A-90 feature built-in 36" mowers. Both give you an all-gear, 4-speed manual transmission for plenty of lawn care power. Wheel Horse A-60 and A-70 riding mowers combine great visibility and superb handling.

A battery-powered riding mower keeps the neighborhood quiet while you mow. A-85 rider has built-in 32" mower; batteries recharge fully overnight.

Wheel Horse® "A" and "B" Series tractors and riders can match your residential needs perfectly . . . and fit your budget.



1. A-100 10 HP lawn tractor has electric starter. 2. B-80 takes a side or rear discharge 36" mower. 3. B-145 with front mower gives you great maneuverability on small to medium lawns.

Attachments



1. 60" Mid-mount mower. Powerful 3-blade rotary mower is shaft driven on D-250; belt driven on D-200. Raises and lowers on tractor's hydraulic lift. For use with D-250 only.

2. This bottom view of the 60" mid-mount mower shows its three mower blades. Note the internally mounted anti-scalp rollers. Gauge wheels pivot 90° to enable you to roll mower under the tractor for mounting.

3. 60" Rear mount mower. This heavy duty rear mount mower cuts large acreage fast. Rear PTO drive; mounts on 3-point hitch for use on D-200 only.

4. 48" Side Discharge mower. "D" Series, "C" Series. A big mower for big lawns. 3 Hi-lift blades give a smooth, even cut. Full floating design helps prevent scalping. Tach-a-matic mounting, reliable belt drive for easy installation and removal. Chute guard tilts up for transporting through narrow openings.

5. 42" Side discharge mower. 3 Hi-lift blades give smooth, even cut. One piece, deep dish construction helps prevent clogging. Adjustable cutting height 1½" to 4". Chute guard tilts up for transporting through narrow openings.

42" Rear discharge mower (Not shown). Big 42" rotary mower features rear discharge design that's ideally suited to collecting grass clippings with a lawn sweeper. Installs fast in Tach-a-matic hitches.

6. 42" Side or rear discharge mower. For B-145 and C-185 battery-powered tractors. Front-mounted; flips up for easy cleaning and blade maintenance. Plugs into PTO outlet on tractor.

7. 36" Side discharge mower. Full floating design and 3 Hi-lift blades combine for carpet smooth cut. Tach-a-matic mounting. All Wheel Horse mowers carry the OPEI (Outdoor Power Equipment Institute) Safety Label.

8. 36" Rear discharge mower. Ideal for use with lawn sweeper. Lets you pick-up clippings as you mow. Full floating design minimizes scalping. Three blades give a smooth, even cut. Adjustable cutting height 1½" to 3½".

9. Lawn sweepers. 31" or 38" lawn sweepers help keep your lawn neat. Sweeping height is adjustable from drivers seat. Convenient rear dumping. Fits all models. 38" sweeper not recommended for A-85, A-70 or A-60.

10. Rear bagger. For use on A-70 riding mower. Holds 5½ bushels of grass clippings or leaves. Empties easily with rear-dumping action.

11. Power lawn vacuum. Cleans while you mow. Picks up leaves, grass clippings, small twigs, litter from your lawn. Requires 42" side discharge mower and 2-Wheel Dump Cart. The ultimate in lawn care. For use on "C" models and B-100 only.

12. 36" Aerator. Sharp spikes penetrate ground, allow food and moisture to reach roots. Fits all tractors.

13. 36" Lawn roller. Heavy duty welded steel tank fills with water to give needed weight. Smooths out rough turf and bumpy ground. Scraper cleans drum. Fits all models.

14. 2-Wheel dump cart. Takes loads up to 5.5 cubic feet. Dumps completely over for easy unloading. One-piece, all steel body. 4.00/4.80x8 pneumatic tires. Fits all models.

15. 2-Wheel dump cart. Rear dumping cart holds a hefty 10 cubic foot payload. For "B," "C," and "D" Series tractors.

16. 2-Wheel dump cart. This big, square-sided wagon features handy rear dumping action . . . carries a massive 18 cubic foot load. Sides are completely removable for hauling bulky loads. Fits "B," "C" and "D" Series only.

17. 4-Wheel utility wagon. Versatile wagon has many uses. 11 cubic foot capacity. Removable sides for bulky loads. All steel construction. 4.00/4.80-8 pneumatic tires. Fits "B," "C" and "D" Series.

18. 50" Tiller. Pulverizes garden soil for a fine seed bed. Mounts on 3-point hitch and is shaft driven. A must for the person with a large garden. For D-200, D-160 only.

19. 40" Tiller. For use with D-250 garden tractor. Tills up to 10" deep . . . built in knife bar is adjustable from top of tiller deck. Fully enclosed PTO housing keeps dirt out and permits safer operation.

20. 36" Tiller. Breaks up and pulverizes garden soil. Special "quick" hitches allow fast installation and removal. Tilling depth 4" to 8". Special end covers and drag plate help prepare a smooth seed bed and keep dirt from covering up plants in adjoining rows.



Attachments



21



22

21. All Wheel Horse mower attachments carry the OPEI (Outdoor Power Equipment Institute) Safety Label stating they conform to the latest safety standards.

22. Cultivator. Two-section cultivator helps remove weeds and aerate your garden. The 9 shovels have reversible blades for extended wear. Fits "B" and "C" Series gas-powered tractors.

23. Cultivator. For use with D-250 garden tractor. Five heavy duty shovels provide adjustable cultivating width. Cultivator mounts on 3-point hitch using optional tool bar.

24. 8" and 12" Moldboard plows. 8" plow fits all "B," "C" and "D" Series tractors.

25. Reversible plow. For use on D-250. A single lever reverses plowshares to allow two directional plowing, eliminates "crowning" effect in plowed field. Raises and lowers hydraulically.

26. Disc. Eight 11" blades adjust for 10°, 15° and 20° gang angle. Two discs can be connected for tandem operation on "D" Series tractors.

27. Spike tooth harrow. 18 hardened steel reversible spikes break up and pulverize soil. Adjustable spike angle and individual spike depth adjustment for more penetration. Fits "B" and "C" Series tractors.

28. Spike tooth harrow. For use with D-250 garden tractor. Dual gang harrow has forty 5½" spikes. Mounts on tractor's 3-point hitch using optional tool bar.

29. Row planter. Fits "B," "C," and "D" Series garden tractors. Helps plant long straight rows in large gardens.

30. 50" Grader blade. Handy in dirt, sand or gravel. Use to level or grade. Raises and lowers hydraulically. Index 20° left or right. D-200 and D-160 only.

31. 40" Grader blade. Use to level or grade in sand, gravel or dirt. Indexes 20° left or right of center. Mounts in Tach-a-matic hitch for easy installation. "B" and "C" Series only.

23



24



25



26



27



28



29



30



31



32. 48" Snow thrower. Cuts through deep drifts easily. PTO driven, mounts in mid Tach-a-matic hitch. Chute rotates 240°. Raises and lowers hydraulically. For D-200, D-160 only.

33. 48" Snow thrower. Shaft-driven thrower is designed for use on D-250 garden tractor.

34. 42" Snow thrower. Mounts in mid Tach-a-matic hitch. 180° chute rotation puts snow where you want it. Fits "B" and "C" Series gas-powered tractors.

35. 42" Snow/Dozer blade. "A", "B" & "C" Series. Plows snow, moves sand, dirt or gravel. 30° index left or right. Reversible scraper blade. "A" Series blade recommended for snow removal only.

36. 56" Snow/dozer blade. Use to plow snow, move dirt, sand, and gravel. 30° index left or right. For use on D-200 and D-160 tractors only.

37. 59" Snow blade. Designed specially for the D-250, this blade raises, lowers and indexes 30° left or right using just one hydraulic cylinder. Attaches and detaches in moments.

TIRE OPTIONS

38. Turf saver tires for "B" and "C" Series tractors. High flotation tread protects valuable turf.

39. Cleat tires provide good traction in most soils and snow. Fit "B" and "C" Series tractors.

40. X-tra traction terra tires are extra wide to provide more traction without compaction. Rear 26x12:00-12. Front high-flotation ribbed tires 18x8:50-8. Fit "D" Series.

41. X-tra traction super terra grip (cleat) tires give high flotation and excellent traction in most soils. Rear 26x12:00-12. Front 18x8:50-8. Fit "D" Series.

42. Agricultural cleat tires fit the D-250 only. 27x8:50-15 rear. 4:00-10 agricultural ribbed front tire.



Attachments

Here's how Wheel Horse® attachments help match your tractororing needs to the letter.

	D-250 10-Speed	D-180 Automatic	C-185 Elec-Trak	C-180 Automatic	C-170 Automatic	C-120 B-Speed	B-145 Elec-Trak	B-100 B-Speed	B-80 B-Speed	A-100 4-Speed	A-80 4-Speed	A-80 Electric	A-70 Rider	A-60 Rider
MOWING ATTACHMENTS														
26" Side Discharge Mower														Std
30" Side Discharge Mower														Std
32" Side Discharge Mower														Std
36" Rear Discharge Mower						• • • •			• • •					
36" Rear Discharge Mower												Std Std		
36" Side Discharge Mower						• • • •			• • •					
36" Side Discharge Mower												Std Std		
42" Rear Discharge Mower			Std					Std						
42" Rear Discharge Mower				• • • •					•					
42" Side Discharge Mower				• • • •					•					
48" Side Discharge Mower				• • • •										
48" Side Discharge Mower	• •													
60" Mid Mount Mower	•													
60" Rear Mount Mower	•													
SNOW ATTACHMENTS														
42" Snow Thrower				• • • •					• • •					
48" Snow Thrower	• •													
48" Snow Thrower	•													
42" Snow Blade												• •		
42" Snow/Dozer Blade				• • • •					• • • •					
56" Snow/Dozer Blade	• •													
59" Snow/Dozer Blade	•													

	D-250 10-Speed	D-180 Automatic	C-185 Elec-Trak	C-180 Automatic	C-170 Automatic	C-120 B-Speed	B-145 Elec-Trak	B-100 B-Speed	B-80 B-Speed	A-100 4-Speed	A-80 4-Speed	A-80 Electric	A-70 Rider	A-60 Rider
LAWN, GARDEN AND AGRICULTURAL ATTACHMENTS														
40" Mid Mount Blade				• • • •					• • •					
50" Mid Mount Blade	• •													
36" Tiller				• • • •					• • •					
50" Tiller	• •													
40" Tiller	•													
8" Moldboard Plow			•		• •		• • • •							
12" Moldboard Plow		• •		• • • •			• • • •							
Reversible Plow	•													
42" Disc (single gang)	• • •		• • • •		• • • •		• • • •		• • • •					
Harrow	• • •		• • • •		• • • •		• • • •		• • • •					
Row Planter	• • •		• • • •		• • • •		• • • •		• • • •					
Cultivator	• • •		• • • •		• • • •		• • • •		• • • •					
Utility Wagon	• • •		• • • •		• • • •		• • • •		• • • •					
5.5 Cu. Ft. Dump Cart	• • •		• • • •		• • • •		• • • •		• • • •				• • • •	
10 Cu. Ft. Dump Cart	• • •		• • • •		• • • •		• • • •		• • • •					
18 Cu. Ft. Dump Cart	• • •		• • • •		• • • •		• • • •		• • • •					
36" Roller	• • •		• • • •		• • • •		• • • •		• • • •		• • • •	• • • •	• • • •	
36" Aerator	• • •		• • • •		• • • •		• • • •		• • • •		• • • •	• • • •	• • • •	
31" Lawn Sweeper	• • •		• • • •		• • • •		• • • •		• • • •		• • • •	• • • •	• • • •	
38" Lawn Sweeper	• • •		• • • •		• • • •		• • • •		• • • •		• • • •	• • • •	• • • •	
Lawn Vacuum	• • •		• • • •		• • • •		• • • •		• • • •		• • • •	• • • •	• • • •	

Accessories

1. Flush mounted headlights and taillights The dual headlights provide good visibility for working after dark. Fits "A" & "B" Series.



2. Dual wheel kit lets you bolt a second wheel for added flotation and traction. Tire and wheel not included. Fits "B" and "C" Series.



3. Tire chains — Extra heavy gauge chains that flex and bite in snow for better traction. Fits "A", "B", "C" & "D" Series.




4. Slot type hitch. Tows, raises, lowers ground breaking and rear mounted attachments. Controlled by either electric, hydraulic or manual lifts. Fits "B" & "C" Series.



5. Heavy-duty category "O" 3-point hitch Adapts to many farm type category "O" implements. Hydraulically controlled. Attachments hook-up easily and quickly. Fits D-200, D-250 and D-160.





6. Disc turning brakes Independently operated rear wheel brakes for quicker, sharper turns. Fits D-200 and D-160.




2





4




6



8



10




Attachments

Here's how Wheel Horse® can help match your tractororing

	D-250 10-Speed	D-180 Automatic	C-185 Electric-Tek	C-180 Automatic	C-170 Automatic	C-160 B-Speed	B-145 Electric-Tek	B-140 B-Speed	B-80 B-Speed	A-100 4-Speed	A-80 4-Speed	A-25 10-Speed
MOWING ATTACHMENTS												
26" Side Discharge Mower												
30" Side Discharge Mower												
32" Side Discharge Mower												
36" Rear Discharge Mower							• • • •		• • •			
36" Rear Discharge Mower											Std	S
36" Side Discharge Mower							• • • •		• • •			
36" Side Discharge Mower											Std	S
42" Rear Discharge Mower				Std								
42" Rear Discharge Mower							• • • •		•			
42" Side Discharge Mower							• • • •		•			
48" Side Discharge Mower							• • • •					
48" Side Discharge Mower		• •										
60" Mid Mount Mower	•											
60" Rear Mount Mower	•											
SNOW ATTACHMENTS												
42" Snow Thrower							• • • •		• • •			
48" Snow Thrower		• •										
48" Snow Thrower	•											
42" Snow Blade												•
42" Snow/Dozer Blade							• • • • •		• • • •			
56" Snow/Dozer Blade	• •											
59" Snow/Dozer Blade	•											

Accessories



7. Splined rear PTO Provides 2000 rpm for power driven front and rear-mounted attachments. Fits D-200 and D-160.



8. Wheel weights — Extra pulling traction for working in soft ground or snow. Easy to install. Fits "A", "B", "C" & "D" Series.



9. Clevis hitch (type A) Stabilizes action of ground engaging attachments. Raising, lowering controlled by either electric, hydraulic or manual lifts. Fits "B" & "C" Series.



10. Inverter Accessory plugs into tractor accessory outlet to provide 120 volt household power where you need it. Fits B-145 and C-185.



11. Hydraulic powered lift raises and lowers front, middle and rear mounted attachments. Fits automatic transmission tractors.



12. Wheel Horse Red and Beige Paint — In pressurized cans to match your tractor and attachments. Keeps them looking new.


Other accessories are available through your Wheel Horse® dealer. Ask him.

APPROVED ALLIED Attachments









In addition to the many attaching tools offered by Wheel Horse®, you may select from many other "Allied" attachments designed for practically any specific job you can think of. "Allied" attachments are made by other independent manufacturers. It should be understood, Wheel Horse® does not in any way warrant their suitability, quality, performance or safety. Our "mounting consent" simply means that the attachment may be mounted on the Wheel Horse lawn and garden tractor listed without voiding the tractor limited warranty. Your local Wheel Horse® dealer can advise you of the details of each manufacturer's warranty. We encourage you to ask.










- 1. Estate sprayer** — Sprays up to 3 gallons per minute at pressures up to 300 lbs. (Fits "B" & "C" Series)
- 2. Compactor — Rake** — Picks up lawn debris and compacts it in disposable plastic bag. Dependable ground drive. (Fits "B", "C" and "D" Series)
- 3. Log splitter** — Sets up fast on tractor to split fireplace wood with ease and convenience. (Fits "B" and "C" Series)
- 4. Landscaping rake** — For leveling soil, spreading material on drives, parking areas, ball diamonds. Adjustable working height. Available in 4 and 6 foot widths. (Fits "B", "C" and "D" Series)
- 5. Rear-mount grader blade** — Reversible blade is ideal for landscaping, leveling and grading. Adjustable blade index of 15° and 30° left or right. Requires Category "O" 3-point hitch. (Fits "D" Series)
- 6. Rotary broom** — Keep walks, drives and parking lots clean. Can be used for light snow removal. Broom is 48" wide and can be indexed 30° left or right. (Fits "B", "C" & "D" Series)
- 7. Shredder-grinder** — Shreds leaves, stalks, tree trimmings, vines, garbage, newspaper and tin cans. Grinding chamber has 24 free-swinging hardened steel hammers. Belt driven from tractor. (Fits "B" and "C" Series)
- 8. Sickle bar** — Cuts a 4-foot swath in heavy grass, weeds and light brush. Cutter bar offers full-floating action. It's lever adjusted from 45° below horizontal to nearly 90° vertical. (Fits "C" and "D" Series)
- 9. Gang reel mower** — Cuts a wide 72" swath in one pass. One lever raises all 3 gangs for transport. (Fits "D" Series)
- 10. Tractor cab** — Keeps warmth in, rain and snow out. Tight fitting cab covers are heavy high-tensile strength fabric coated with a durable vinyl. Heavy weight tubing supports cabs. (Fits "B", "C" and "D" Series)

Be sure to ask your dealer about these and other Allied attachments available for your Wheel Horse lawn and garden tractor.



Specifications

	 D-250	 D-200 AUTOMATIC	 D-160 AUTOMATIC	 C-185 ELEC-TRAK	 C-160 AUTOMATIC  C-160 8-SPEED	 C-120 AUTOMATIC  C-120 8-SPEED
ENGINE	19.9 HP Four Cylinder Liquid Cooled	19.9 HP Two Cylinder Air Cooled	16 HP Two Cylinder Air Cooled	36 v. Electric drive motor	16 HP Single Cylinder Air Cooled	12 HP Single Cylinder Air Cooled
TRANSMISSION	Manual	Automatic	Automatic	Manual	Auto. (C-160/A) Man. (C-160/B)	Auto. (C-120/A) Man. (C-120/B)
GROUND SPEEDS (MPH)	Fwd: 0.4-10.6 Rev: 0.6-3.6	Fwd: 0-7.5 Rev: 0-3.6	Fwd: 0-7.5 Rev: 0-3.6	Fwd: 0.4-8.2 Rev: 0.5-4.9	Fwd: 0-6.3 (C-160/A) 0.5-5.5 (C-160/B) Rev: 0-3.2 (C-160/A) 0.6-2.6 (C-160/B)	Fwd: 0-6.3 (C120/A) 0.5-5.5 (C120/B) Rev: 0-3.2 (C120/A) 0.6-2.6 (C120/B)
BATTERY	12 Volt 18 Amp. Hr.	12 Volt 45 Amp. Hr.	12 Volt 45 Amp. Hr.	Six 6-Volt Deep Discharge	12 Volt 32 Amp. Hr.	12 Volt 32 Amp. Hr.
WHEEL BASE	55"	50"	50"	39.5"	45.5"	45.5"
OVERALL WIDTH	44"	45"	45"	36.5"	36"	36"
OVERALL LENGTH	78"	75.5"	75.5"	74.4"	65"	65"
OVERALL HGT.	45"	45.5"	45.5"	42.5"	41"	41"
WEIGHT	1160 Lbs.	1025 Lbs.	875 Lbs.	894 Lbs.	600 Lbs. (160B) 640 Lbs. (160A)	600 Lbs. (120/B) 630 Lbs. (120/A)
TIRES						
FRONT	18x8:50-8 4.00-10	18x8:50-8	18x8:50-8	16x6:50-8	16x6:50-8	16x6:50-8
REAR TURF	26x12:00-12	26x12:00-12	26x12:00-12	23x10:50-12	23x8:50-12	23x8:50-12
REAR CLEAT	26x12:00-12	26x12:00-12	26x12:00-12	23x8:50-12	23x8:50-12	23x8:50-12
REAR CLEAT, AG.	27x8:50-15					

	 B-145 ELEC-TRAK	 B-100 8-SPEED	 B-80 8-SPEED	 B-60 8-SPEED	 A-100 36" 4-SPEED	 A-90 36" 4-SPEED	 A-85 ELECTRIC	 A-70 30" 5-SPEED	 A-60 26" 4-SPEED
ENGINE	36-V. Electric drive motor	10 HP (B-100) 8 HP (B-80) Single Cylinder Air Cooled	7 HP Single Cylinder Air Cooled	10 HP (A-100) 8 HP (A-90) Single Cylinder Air Cooled	36-V. Electric drive motor	8 HP Single Cylinder Air Cooled	5 HP Single Cylinder Air Cooled		
TRANSMISSION	Manual	Manual	Manual	Manual	Manual	Manual	Manual		
GROUND SPEEDS (MPH)	Fwd: 0.4-5.0 Rev: 4.3	Fwd: 0.5-5.2 Rev: 0.6-2.6	Fwd: 0.5-5.2 Rev: 0.6-2.6	Fwd: 0-5.5 Rev: 0-2.5	Fwd: 1.5-5.1 Rev: 2.4	Fwd: 1.4-4.9 Rev: 2.3	Fwd: 2.1-4.7 Rev: 3.2		
BATTERY	Six 6-Volt Deep Discharge	12 Volt 24 Amp. Hr. (B-80) 32 Amp. Hr. (B-100)	—	12 Volt 24 Amp. Hr.	Three 12-Volt Deep Discharge	12 Volt 24 Amp. Hr.	—		
WHEEL BASE	39.5"	45.5"	45.5"	42.5"	36.75"	42"	38.5"		
OVERALL WIDTH	35"	33"	33"	47"	43"	46"	29.5"		
OVERALL LENGTH	74.4"	65"	65"	56.5"	53"	66.5"	57"		
OVERALL HGT.	42.5"	40"	40"	36.5"	43"	41.5"	37.5"		
WEIGHT	852 Lbs.	540 Lbs. (B-80) 590 Lbs. (B-100)	505 Lbs.	400 Lbs. (A-90) 405 Lbs. (A-100)	468 Lbs.	350 Lbs.	230 Lbs.		
TIRES									
FRONT	16x6:50-8	16x6:50-8	16x6:50-8	13x6:50-6(A-100) 13x5:00-6(A-90) 18x9:50-8(A-100) 18x8:50-8(A-90)	11x4:00-5	13x5:00-6 15x6:00-6	4.10x3:50-4 4.10x3:50-6		
REAR TURF	23x8:50-12	22x7:50-12	22x7:50-12		13x6:50-6				
REAR CLEAT		23x8:50-12	23x8:50-12						

At the time of printing (9-76), product information and specifications, as shown, were correct. Wheel Horse Products, Inc. reserves the right to change product specifications, designs and standard equipment without notice and without incurring obligation.

The allied attachments shown in this catalog may be mounted on the tractor listed without voiding the Wheel Horse® limited warranty. Wheel Horse® does not in any way guarantee these products' quality, performance or safety.