Equipment For . . .

LAWN AND GARDEN

FEBRUARY 1973

Care



INDEX

	Page No.		Page No.
Elec-Trak Tractors and Attachments	2 - 12	Portable Power Augers	18 - 19
Tractor Loaders		Trailers	7, 20 - 21
Mowers	4, 14 - 17	Cabs	22
Sweepers	7, 23 - 24		

(Prices subject to change without notice. Lists shown are suggested retail, and would not include any shipping, set-up or installation charges.)

400 NORTH FIRST STREET • MINNEAPOLIS, MINNESOTA 55401

DES MOINES, IOWA 2151 Dean Ave. - 50317

1901 Great Northern Drive - 58102 (Mailing Address) Box 975 - 50304 (Mailing Address) Box 2218 - 58102 Phone: 515/266-1125 Phone: 701/293-5520

MANKATO, MINNESOTA Chestnut and 1st Ave. - 56001 Phone: 507/388-3272

MASON CITY, IOWA North on Highway 65 - 50401 Phone: 515/423-0829

MINOT, NORTH DAKOTA
Highways 2 and 52 West - 58701
(Mailing Address) Box 520 - 58701
Phone: 701/838-4035

MAHA, NEBRASKA
902 Jackson St. - 68102
(Mailing Address) Box 3007 - 68103
Phone: 402/341-5376

SIOUX FALLS, SOUTH DAKOTA 431 No. Phillips Ave. - 57102 Phone: 605/336-2968

G E ELEC-TRAK GARDEN TRACTORS



AE-08 with Mower



AE-10 with Mower



AE-12M with Mower



AE-12 with Canopy Top, Golf Bag Holder and Front Platform Lift.



AE-15 with Snow Thrower



AE-20 with Mower

Operation

- Instant Start
- Single Lever Speed Control
- Front Power Lift Standard
- Simple, Easily Learned Controls
- Smallest Turning Radius in Class
- Super Traction and Pulling Power
- Effortless, Quick Change Accessories

Safety

- · Easy, Safer Refueling
- · Low Center of Gravity, Balanced Weight Design
- Safety Interlocks for Operator Protection
- · Automatic Shut-off When Seat is Empty
- · Instant Stop Mower Blades (Less Than 3 Sec.)
- · Controlled Starting Power
- Brake Pedal Also Shuts Off Motor

Comfort

- Fumeless, Non-Polluting
- Quiet
- Vibration Free
- Cool Operation

Front Mounted Mower

- · No Belts, Pulleys or Gears
- Cuts Grass Before Tractor Rolls On It
- Visibility Improves Control, Allows More Cut Per Pass and Permits Close Trimming
- Easy Flip-Up to Clean and Sharpen Mower
- Easy On-Off, No Lifting or Pushing
- Complete Floating Action Follows Ground Contour Independent Of Tractor

Mobile Power Center

- Plug-in Portable Tools
- Independently Powered "Plug-In" Attachments

LINDSAY BROS. CO.

G E ELEC-TRAK GARDEN TRACTOR


ELEC-TRAK MODEL	AE-8	AE-10	AE-12M	AE-12	AE-15	AE-20
Peak Horsepower Exceeds	8 H.P.	10 H.P.	12 H.P.	12 H.P.	14 H.P.	16 H.P.
Speed Control Speed Range	Clutch Control	Clutch Control	Electro(1) (Hand Lever)	Electro(1) (Hand Lever)	Electromatic(1) (Hand Lever)	Torq-matic(1) (Foot Accelerator
Selections	3	3	4	4	4	4
Speeds	0-4 MPH	0-4 MPH	0-6 MPH	0-6 MPH	0-7 MPH	0-9 MPH
Electric Power Lift (front)	N/A	N/A	N/A	Std.	Std.	Std.
Lights (front)	N/A	N/A	Std.	Std.	Std.	Std.
Seat	High Cushion	High Cushion	High Cushion	High Cushion	High Cushion	High Cushion Adjustable
Power Pack Heavy Duty Standard	Optional Standard	Optional Standard	Optional Standard	Optional Standard	Standard	Std.
Tires Front	5:00 x 6	5:30 x 6	4:80 x 8	4.80 x 8	4.80 x 8	6.50 x 8
Rear	6:50 x 8	9:50 x 8	8:50 x 12	8.50 x 12	9.50 x 12	10.50 x 12 High Traction
Steering Wheel Diameter	10 "	10"	12"	12 "	12"	15 "
Width and Length	36 x 67 "	36 x 67 "	35 x 70 "	35 x 69 "	36 x 69 "	42 x 69"

(1) The speed controls vary in the degree and sensitivity of control from the 3 step Electro through the 7 step ELECTRO-MATIC to the almost infinitely variable TORQ-MATIC.

Lindsay Product Number	Model Number	Description	Approx. Ship. Wt.	List Price
	TRACTORS	an efforme handle is a	ate the kaptales	e ibqq
078344 205	AE-20	Heavy Duty Power Pak	950	\$1895.00
078336 205	AE-15H	Heavy Duty Power Pak	900	1715.00
099295 205	AE-12H	Heavy Duty Power Pak	850	1602.00
078328 205	AE-12S	Standard Power Pak	850	1545.00
106399 205	AE-12HM	Heavy Duty Power Pak (1)	850	1542.00
106402 205	AE-12SM	Standard Power Pak (1)	850	1485.00
106380 205	AE-10H	Heavy Duty Power Pak	800	1259.00
091359 205	AE-10S	Standard Power Pak	800	1205.00
091340 205	AE-08	3-12 Volt Power Pak	550	890.00
166863 205	AE-08HM	6-12 Volt Power Pak	750	1065.00

G E ELEC-TRAK INDUSTRIAL COMMERCIAL TRACTOR

I-5 ELEC-TRAK INDUSTRIAL/COMMERCIAL TRACTOR



ALL FOR ONE — One I-5 Elec.Trak tractor is all that's needed to power this host of equipment, all of which attach or detaches simply and quickly. Less storage, less cost, less operator training, and more versatility for the small to medium-sized manufacturers or business is the strength of General Electric's I-5 Elec-Trak industrial tractor. In addition to pictured equipment, a complete line of grounds care equipment is available, including mowers, snow blades, snow thrower, vacuums, and 30 other attachments and hand tools.

An Elec-Trak with a variety of attachments for industrial and commercial applications where the regular Elec.Trak should not be used.

Carries the Factory Mutual "E" label and meets OSHA standards. Attachments available include:

Fork Lifts Bucket Loader Plant Maintenance Carts Welder Sweeper

as well as the regular Elec-Trak attachments such as dozer blades, mowers, snow throwers, double seat, etc.

Write for complete information and prices on the Elec-Trak Industrial/Commercial Tractor.

G E ELEC-TRAK ATTACHMENTS




ROTARY MOWER AA42

- Fits E20, E15, and E12
- Front-mounted for trimming under and around bushes, trees, etc. Cuts the grass before the tractor rolls over it, greater visibility allows more cutting on every pass
- Mowers are available with either side discharge AA42S

 (best for less frequent mowing without grass pickup)
 or rear discharge AA42R between wheels under tractor (safest and facilitates grass or leaf pickup with sweeper or vacuum). Both have full rear roller
- 3 blades on 3 motors provide large 42" cutting width
- Mower can be flipped up for simple cleaning and easy blade changing or sharpening
- Blades stop in less than 3 seconds when operator leaves seat, switches PTO off, or turns off key

42" MID-MOUNTED MOWER AH42

- Fits E12M
- Floats over the contour of the land without scalping
- Choice of rear discharge AH42R (safest and facilitates grass or leaf pickup with sweeper or vacuum) or side discharge — AH42S — (best for less frequent mowing without grass pickup. Full rear roller
- Easy to put on and take off tractor
- Cutting height controlled by fast-acting lever lift from operator's seat
- 3 blades on 3 motors provide large 42" cutting width
- Blades stop in less than 3 seconds when operator leaves seat, switches PTO off, or turns off key






36" MID-MOUNTED MOWER AH36

- Fits E10M and E8M
- 2 blades on 2 motors provide 36" cutting width
- Independent ground-following suspension 4 parallel arms attach to tractor, 3 front skids for anti-scalp protection
- Side discharge
- Blades stop in less than 3 seconds when operator leaves seat, switches mower off, or turns off key
- Cutting height controlled by fast-acting lever lift from operator's seat
- Quick-pins permit easy on and off tractor


Lindsay Product Number	Model Number	Description	Weight Lbs.	List
078352 205	AA42R	Rotary Mower	166	\$274.00
106682 205	AA42S	Rotary Mower	166	274.00
161950 205	AA42HD	42 " Front mount, rear discharge with heavy duty motors	170	367.00
106410 205	AH42R	42 " Mid-Mounted Mower	135	274.00
	AH42S	42 " Mid-Mounted Mower	135	274.00
106453 205 106461 205	AH36	36 " Mid-Mounted Mower	80	210.00

G E ELEC-TRAK GARDEN TRACTORS





- Fits E20, E15, E12
- 3-gang reel mower (2 in front, 1 in rear) cuts 56" width
- Trims under objects, lets operator see where he is cutting
- Easily adjusts from 5/8" to 2-1/8"
- 5 sturdy high-carbon spring steel blades per reel
- Easy-adjust bedknife. No-rust screws
- Wide, semi-pneumatic tires flex evenly to reduce turf damage
- Electric front lift used to raise front mowers



GANG MOWER AR57

- E20, E15, E12, E12M, E10M
- 3-gang reel mower cuts 57" width
- Easily adjustable from 1/2" to 2-1/2" cutting height
- 6 tempered blades and heat-treated bedknife
- Universal hitches allow attachment of up to 5-gang reel



- Top quality 110-volt unit plugs into standard home outlet
- 18" cut with a high-vacuum-lift blade
- Blade/motor impact protection with mechanical slip clutch
- Powerful 10-amp motor with proven reliability
- Reduction gearing for high torque
- Swingover chrome handle is safe, lockable
- 7 instant cutting height adjustments
- Excellent grass dispersion or filling of catcher
- Deluxe, large 7" wheels for easy roll
- Recessed start/stop switch
- Safe front and rear foot guard
- Strong steel housing
- U.L. approved
- Requires PM10 100' AC cord with ground
- PM15 heavy-duty grass catcher optional (shown)



TRACTOR COVER AP80

- Fits all models
- Made of strong, durable, black, vinyl-coated nylon
- Designed for temperatures to -40°F
- Has air vents for good air circulation
- Easily mounted on tractor or mower with an elastic shock cord hem and belly band



MOWER COVER AP81

- For front mounted mowers
- Easily mounted on tractor or mower with an elastic shock cord hem and elastic tie band to secure together under tractor

Lindsay Product Number	Model Number	Description	Weight Lbs.	List
166871 205 078360 205 106496 205 106518 205 106534 205 078964 205 078972 205	AR56 AR57 PM32 PM15 PM10 AP80 AP81	Front Mtd. Gang Mower Gang Mower Walk Behind Power Mower Grass Catcher 100' Ext. Cord Tractor Cover Mower Cover	350 213 48 10 8 6	\$439.00 273.00 98.50 13.95 10.65 24.00

LINDSAY BROS. CO.

G E ELEC-TRAK ACCESSORIES



42" SNOW THROWER AD42

- Fits E20, E15, E12
- · Instant on. Safety interlock with tractor seat switch
- Direct chain-drive from its own high torque motor, independent of tractor speed
- Discharge chute rotates 270° from tractor seat
- Adjustable skid shoes
- Raise or lower electrically with standard tractor lift
- Includes AP85 weight box
- Requires AP56 for E20, E15, E12

38" SNOW THROWER AD38

- Fits E10M, E8HM, E12M
- Complete with lift adapter and AP86 weight box
- Requires AP54 implement mounting bracket for E8, E10
- Requires KD10 PTO kit on E8, E10
- Requires AP55 brkt for E12M



48" SNOW/DOZER BLADE AB48

- Fits E20, E15, E12, E12M
- Large 48 " blade width
- Angle adjustment control from driver's seat
- Height of blade controlled by standard electric tractor lift (quick-lever lift on E12M)
- Replaceable wear blade is adjustable to vary blade attack
- Blade trip springs protect against damage on impact
- High traction/torque of ELEC-TRAK tractor makes dozing heavy loads easy
 - Requires KB48 adapter kit and AP55 for E12M
- Requires KB84 adapter kit and AP56 for E20, E15, E12
- AB42 42" Snow/Dozer Blade fits E10M, E8M. Requires AP54 front implement mounting bracket. (AB42 includes remote angling handle and lift adapter)



48 " V-PLOW BV48

- · Fits E20, E15, E12
- Clears a 48 " path through snow
- 18 " high, heavy duty all-steel blades
- Replaceable steel wear-bar on each blade
- Raise or lower electrically with standard tractor lift
- · With three gauge shoes for maintaining height adjustment
- · Requires AP56 implement mounting bracket



SNOW CAB AG55 - Fits E20, E15, E12

- AG54 fits E10, E8
- Simple and rugged steel construction for strength and ease of assembly
- Large safety-glass windshield. Electric windshield wiper on AG55
- Snap-in nylon reinforced curtains with vinyl windows for winter
- Easy entry into cab with large doorway
- A convenient pocket flap opening allows easy access to operate snow thrower or dozer blade controls
- AG55 can be adapted to fit E12M

Lindsay Product Number	Model Number	Description	Weight Lbs.	List
078395 205	AD42	42 " Snow Thrower (Requires AD56)	295	\$386.00
167118 205	AD38AP85	38 " Snow Thrower for E12M (Requires AP55)	270	372.00
167126 205	AD38AP86	38 " Snow Thrower for E10, E8HM (Requires AP54)	270	372.00
	BV48	48 " V Plow	100	132.00
078387 205		48 " Snow/Dozer Blade	95	119.75
078379 205	AB48	Adapter Kit	18	19.95
106569 205	KP		18	19.95
166901 205	KB84	Adapter Kit	85	125.00
164429 205	AB42	42 SHOW BOZET BIDGE	72	202.00
078425 205	AG55	Show Cab for E20, E15, E10		132.00
167134 205	AG54	Snow Cab for E10, E8	70	132.00




LAWN SWEEPER AS31

- Fits all models
- Can be electrified for superior sweeping with constantspeed drive using conversion kits KS31 and KS32 (for E20, E15, E12, E12M, E10M)
- 31" sweeper brush sweeps an area wider than the discharge width of the 42" ELEC-TRAK rear discharge
- Convenient dump-to-rear and brush height adjustment from the driver's seat
- Light-duty dethatching possible with powered sweeper




DUMP CART AF12

- Fits all models
- Large 12-cubic foot 1000-lb capacity (4' x 3' x 1')
- All steel 6-gauge body with full-length 14-gauge bottom reinforcing channels. Reinforced corner angles and formed top
- Removable rear tail gate slides between reinforced channels
- Stake pockets for adding side extensions
- Spring-loaded trip latch for dumping locks itself. Can be operated from driver's seat by adding rope
- Pneumatic 4:30 x 8 tubeless tires
- Heavy-duty axle with fittings for lubricating wheel bearings



SLEEVE HITCH AP50


- Fits E20, E15, E12
- Takes all implements built to industry standard for sleeve hitches
- Easy to attach with two bolts
- Can be used with electric or manual rear lift (AP59, AP58)



HITCH ADAPTER CH10

- Fits E20, E15, E12, E12M
- A variety of hitches or balls can be attached or easily installed
- Hitches mount in rear stabber openings

Lindsay Product Number	Model Number	Description Description	Weight Lbs.	List
078417 205	AS31	Lawn Sweeper	96	\$150.00
078719 205	KS31	Conversion Kit (Requires KS32)	5	35.35
106682 205	KS32	Motor and Circuit Breaker	15	51.00
078409 205	AF12	Dump Cart	150	134.75
078867 205	AP50	Sleeve Hitch	12	19.15
091758 205	CH10	Hitch Adapter	10	11.35



FRONT PLATFORM LIFT BL36

- Fits E20, E15, E12
- Rests flat on ground and tilts as it lifts to hold objects secure
- Platform mounts on front of tractor with AP56 bracket
- May be raised and lowered with standard electric lift
- Designed for transporting up to 250 lbs move shrubs, fertilizer, garbage cans, etc.



POWERED ROTARY BROOM

- Fits E20, E15, E12
- 4-ft. rotary broom ideal for clearing debris, gravel, leaves or light snow
- Powered by separate 36-volt electric motor, GE motor kit KM10 (same as snow thrower – interchangeable)
- Perfect for outdoor skating rink maintenance



VACUUM AND CART CV70 (Turf or Hard Surfaces)

- For E20, E15, E12, E12M
- Ideal for turf and grounds vacuuming
- Anti-scalp design prevents digging or scraping turf
- 30" nozzle opening adjustable from the tractor seat
- 20-bu bagging capacity with extra large opening for dumping
- Vacuum cart usable by itself as a trailing cart (20" x 40"
- Optional 6" hose kit available for hand cleaning (From Ecology Products, Tariffville, Conn. 06081)
- Adjustable nozzle height with rubber skirts for good ground contact
- Hitch-yoke assembly allows good ground following and ease of backing entire vac/cart
- (Over-all size vac/cart) 47" high, 32" wide, 80" long



VACUUM (Hard Surfaces) CV60

- For E20, E15, E12, E12M
- Quiet, powerful, electrically operated vacuum plugs into and trails behind ELEC-TRAK tractor or operates on optional cord for hard-to-get-at areas
- 30" adjustable nozzle opening for large papers or fine and
- Clean disposal of collected debris with 2.6-bu throw-away plastic bags
- Optional 6" hose kit available for hand cleaning (<u>From</u> Ecology Products, Tariffville, Conn. 06081)
- Requires heavy-duty extension cord for push operation (not included)
- Bag contained in sturdy snap-on-and-off container
- Three section upper vent bag allows maximum air release
- Center discharge deposits waste into bucket evenly
- Two large pneumatic wheels for easy maneuvering

Lindsay Product Number	Model Number	Description	Weight Lbs.	List
078476 205 106631 205	BL36 CV70	Front Platform Lift Vacuum & Cart	50 325	\$ 84.00 687.75
106623 205 116653 205	CV60 KM10	Vacuum Drive Kit & PTO Wiring for C48GE Sweepster	210	567.00 218.90


LINDSAY BROS. CO.

G E ELEC-TRAK ACCESSORIES (CONT.)



FRONT IMPLEMENT MOUNTING BRACKET AP56

- Fits E20, E15, E12
- To be used with dozer blade, V-plow, snow thrower, and front platform lift
- Easily slides into front stabber and locks on with front clevis pins
- Model AP55 fits E12M
- Model AP54 fits E10M, E8M



WEIGHT/TOOL BOX AP85

- Fits E20, E15, E12, E12M
- Weight box locks into rear or front stabbers (for snow throwers or tillers)
- Will hold 200 lbs of ballast (5 standard 4" concrete blocks at 40 lbs) or carry tools, accessories
- AP86 for E10M, E8M


TIRE CHAINS

- Chains for 8:50 x 12 tires, 2-link AP65 fits E12, E12M
- Chains for 9:50/10:50 x 12 tires, 2-link AP68 fits E20, E15
- Chains for 10:50 x 8 tires, 2-link AP64 fits E10M
- Chains for 8:50 x 8 tires, 2-link AP63 fits E8M



MANUAL REAR LIFT AP58

- Fits E20, E15, E12, E12M
- Has 7-to-1 mechanical advantage lifts sleeve hitch and tools
- Fits easily into rear stabber
- Designed for easy attachment to AP50 sleeve hitch (shown above)
- Lift can be set at four different height adjustments



ELECTRIC REAR LIFT AP59

- Fits E20, E15, E12, E12M
- Quickly mounts into rear stabber
- Plugs electrically into its own outlet
- A flick of the switch lifts or lowers attachments
- Can be used with all sleeve hitch attachments, and other attachments requiring rear lift

Lindsay Product Number	Model Number	Description	Weight Lbs.	List
078891 205	AP56	Front Imp. Mtg. Brkt.	15	\$ 20.65
106550 205	AP55	Front Imp. Mtg. Brkt.	16	23.05
164437 205	AP54	Front Imp. Mtg. Brkt.	15	20.70
078905 205	AP58	Manual Rear Lift	17	36.10
078980 205	AP85	Weight/Tool Box	30	24.00
167177 205	AP86	Weight/Tool Box	30	24.00
091650 205	AP65	8.50x12 Tire Chains	15	24.00
091669 205	AP68	9.50/10.50x12 Tire Chain	15	26.05
167169 205	AP64	9.50x8 Tire Chain	12	23.05
167150 205	AP63	6.50x8 Tire Chain	10	23.05
078913 205	AP59	Electric Rear Lift	25	114.95




ELECTRIC HORN AP69

- Fits E20, E15, E12, E12M
- 12-volt electric horn
- Easy to operate with large push-type horn button
- The kit is complete for hook-up aid installation
- Provides easily heard signal to warn bystanders or gain attention



RADIO BRACKET AP75

- Fits E20, E15, E12, E12M
- Easy on and off with 2 bolts
- Designed to fit GE radio P4920 or radios up to 8-1/2" wide and 2-1/4" deep. (Minimum radio height 4")
- Radio slides easily under stretch cord
- Enjoy good listening with quiet ELEC-TRAK tractor operation



REAR TAIL LIGHT KIT AP70

- Fits E20, E15, E12, E12M
- Double-lamp bright rear tail light
- Complete with all mounting hardware and wire
- Operates with headlights from the tractor light switch

HEADLIGHT KIT AP71

- Fits E10M, E8M
- Mounts in grill
- 2 sealed-beam units
- Complete with switch and wire



PTO KIT KD10

- Fits E10M
- Permits use of AD36 snow thrower and AP90 welder



ELECTRIC CHAIN SAW HS13

- Plugs into E20, E15, E12, E12M, E10M (optional outlet E8M)
- Light weight
- Fast high-speed cuts with Oregon Chain
- Instant on and off with trigger-type switch
- 13" bar will double-cut up to 26" logs
- Plunger-type oiler forces oil into chain while cutting
- Complete with 20-foot cord and plug
- Quiet enough for inside work firewood preparation, etc.
- Use with AF12 dump cart provides mobile cut-and-haul capability

Lindsay Product Number	Mod el Number	Description	Jank after Cont State 1 and 1	Weight Lbs.	List
078948 205	AP69	Electric Horn	Monatol Teat Life Women Tour Rose	2	\$ 11.95
123625 205	AP75	Radio Brkt.		1	8.00
078956 205	AP70	Rear Tail Light Kit		1	8.35
166987 205	AP71	Headlight Kit		1	23.00
167193 205	KD10	PTO Kit		1	23.10
078573 205	HS-13	Electric Chain Saw		20	198.95



POWER HANDLE TM3

- Plugs into E20, E15, E12, E12M, E10M (optional outlet E8M)
- 36-volt power unit
- Takes drill, grass trimmer, and hedge trimmer heads


DRILL HEAD TH20

 TH20 drill head — takes up to 1/4" drills (fits TM3 above)




LAWN EDGER/TRIMMER HE06

- Plugs into E20, E15, E12, E12M, E10M (optional outlet E8M)
- Use for edging or lawn trimmer
- Extra front wheel provides smooth edging
- A rear guard helps protect the operator
- Has a built-in anti-scrape guard for trimming
- A light 8-1/2-lbs makes long usage easy
- Requires extension cord HT25




GRASS TRIMMER HEAD TH80

- Ideal for cutting around trees, rocks, along stone walls, under fences
- Has built-in clutch which will slip to prevent damage to the mechanism should hard objects get into blades
- Fits GE TM3 power handle



SMALL ACCESSORY OUTLET KIT AP41

- Converts E8M for portable tool hookup
- Use all 36-volt ELEC-TRAK hand tools
- Complete kit and instructions



HEDGE TRIMMER HEAD TH70


- Double-edge 15" steel blades with reciprocating motion
- Helper handle makes it easy to use in horizontal or vertical positions
- Fits GE TM3 power handle



WEEDER/CULTIVATOR HC05

- Plugs into E20, E15, E12, E12M, E10M (optional outlet E8M)
- Makes weeding, cultivating, or digging a garden easy
- Tills an area 5" wide, can dig down to 6" depth
- Easy to operate with trigger switch, and only weighs 9 lbs.
- A long handle lets you stand up and keep clean
- Requires extension cord HT25

	Lindsay Product Number	Model Number	Description		Weight Lbs.	List
0	78484 205	TM-3	Power Handle	Invertor	5	\$ 21.10
	78492 205	TH-20	Drill Head		2	9.35
	78662 205	HE-06	Lawn Edger/Trimmer		20	45.50
	78522 205	TH-80	Grass Trimmer Head		3	19.00
	66960 205	AP41	Small Accessory Outlet Kit		1	5.65
	78514 205	TH70	Hedge Trimmer Head		4	19.70
	78611 205	HC05	Weeder/Cultivator		25	71.05
	78689 205	HT25	Extension Cord		2	9.15



INVERTER AP60

- Fits E20, E15, E12, E12M
- AC inverter provides 117-volt, 60-Hertz power from tractor
- Fully charged battery at 80°F provides 250-watts for 15
- hours, 500-watts for 10 hours, or 1000-watts for 5 hours
 Fully charged battery at 32°F provides 250-watts for 15 hours, 500-watts for 10 hours, or 1000-watts for 2-1/2 hours.



DC ARC WELDER **AP90**

- Fits E20, E15, E12, E12M (E10M requires KD10 PTO
- For farm, home, and general maintenance welding on 1/6" to 1/2" steel
- Portable DC arc welder plugs directly into tractor power
- 3 heat ranges: low, medium and high (up to 180-amp)

WELDER ACCESSORY KIT AP92

 Contains approved fiberglass welding helmet, a large safety glass area, leather gloves, and welding rods



DOUBLE SEAT BD22

- Fits E20, E15, E12, E12M
- Converts your tractor to a personnel carrier
- When used in conjunction with Canopy Top and Golf Bag Holder converts tractor to a 2-passenger golf cart



GOLF BAG HOLDER BG33

- Fits E20, E15, E12, E12M
- Golf bag holder easily attaches to rear of tractor
- Will hold two golf bags with quick release straps

CANOPY TOP BC11

- Fits E20, E15, E12
- Canopy attaches to tractor body
- Covers seats and controls
- Can be used with either standard or double seat

Lindsay Product Number	Model Number	Description	Weight Lbs.	List
090824 205	AP60	Inverter	33	\$186.00
078433 205	BD22	Double Seat	30	50.25
078999 205	AP90	DC Arc Welder	25	114.95
079006 205	AP92	Welder Accessory Kit	5	30.05
078468 205	BG33	Golf Bag Holder	23	53.50
078441 205	BC11	Canopy Top	15	59.00

SNOWCO LO-RIDE UTILITY TRAILERS



Series No. 48, 48" x 111" Deck Series No. 54, 54" x 130" Deck Series No. 66, 66" x 160" Deck

SERIES 66

Lindsay Product No.	Description	Capacity Lbs.	Size Tire	Weight	List Price 12	List Price 10, 11, 15, 16, 13
	Series No. 48 - Deck 48" x 111"		20221010	caracana tarel ev	gul or betainm n	all state of
801135 250 801151 250	948 Utility Trailer 1148 Utility Trailer	900 1100	4.80 x 8 - 4 Ply 5.70 x 8 - 4 Ply	350 360	\$291.00 322.00	\$298.00 329.00
	Series No. 54 - Deck 54" x 130"					
801143 250 801178 250 801186 250 013749 250	954 Utility Trailer 1154 Utility Trailer 1554 Utility Trailer 2054 Utility Trailer	900 1100 1500 2000	4.80 x 8 - 4 Ply 5.70 x 8 - 4 Ply 5.30 x 12 - 4 Ply 7.00 x 13 - 4 Ply	410 420 430 455	307.00 348.00 390.00 468.00	315.00 356.50 398.50 477.00
	Series No. 66 - Deck 66" x 160"					
801100 250 801119 250	2066 Utility Trailer 3666 Utility Trailer (1)	2000 3500	7.00 x 13 - 4 Ply 5.30 x 12 - 6 Ply	650 825	744.00 910.00	755.00 925.00

(1) Tandem Axle

Dual Tail Lights

ACCESSORIES



WINCH ASSEMBLY No. 20-150 Winch (6-1 Ratio) For Series 48 & 54



WINCH ASSEMBLY No. 21-294 Winch (12-1 Ratio) For Series 66



No. 21-360 **Tongue Stand**



66 Series uses 2" Ball

No. 21-390 **Tongue Jack**

	Lindsay Product Number	Model Number	Description	Weight Lbs.	Price
A Service Con	800864 200	21-991	Tire & Wheel, 4:80 x 8, 4-Ply, 5-Bolt	11	\$ 21.00
	800872 200	26-283	Tire & Wheel, 5:70 x 8, 4-Ply, 5-Bolt	17	31.00
	800880 200	21-992	Tire & Wheel, 4:80 x 12, 4-Ply, 5-Bolt	21	37.50
	800899 200	21-934	Tire & Wheel, 5:30 x 12, 4-Ply, 5-Bolt	23	42.00
	800902 200	21-497	Tire 5:30 x 12 L-Ply (1)	13	40.00
	801208 200	21-996	Tire & Wheel 7:00 x 13, 4-Ply, 5-Bolt	31	62.00
	800953 200	21-390	Tongue Jack, with Caster Wheel	15	33.50
	800961 200	21-360	Tongue Stand, with Retractable Wheel	12	24.00
	801194 200	20-150	Winch with Bracket, Hook & Cable (2)		37.50
	800821 200	21-294	Winch with Bracket, Hook & Cable (3)	20 30	84.25
	801054 200	21-295	Hydraulic Brake for Single Axle	60	187.50

- Tire Only Tubeless
 For 48 and 54 Series Trailer
 For 66 Series Trailer
 Factory Installed Only \$25.00 Additional Single Axle

SWEEPSTER POWER BROOMS



C36S "WALK BEHIND" SWEEPSTER

For sweeping walks, floors, parking lots, farm buildings. Handles trash, snow, slush. Brush is 26 " diameter, 36 " wide. Two speed ranges on brush. Variable angle from straight ahead to 30° right. Five horsepower engine. Polystyrene hood. Rubber tired caster wheels available as an extra.

Lindsay Product Number			Model Number	Shipping Weight Lbs.	F.O.B. Mpls.	
112682 2	205	C36S	Sweepster	262	\$418.00	
115320 2	205	36HC	Pair of Swivel Casters	9	30.65	

C48 G.E. SWEEPSTER FOR G.E. ELEC-TRAK



Attaches to Elec-Trak Tractors models E12, E15 and E20. Raised and lowered by Elec-Trak lift system. Angles 30° to right or left. Polypropylene brush 48 " wide x 26 " diameter. Driven by electric motor from tractor batteries. Use motor from Elec-Trak snow blower or order from listing below:

Lindsay Product Number	Model Number	Shipping Weight Lbs.	F.O.B. Mpls.
112674 205	C48GE (Less Motor)	275	\$371.00
116653 205	KM10 MOTOR H	(IT	218.90


C48 SWEEPSTER FOR GASOLINE LAWN AND GARDEN TRACTORS

48 " wide x 26 " diameter brush. Powered by tractor engine. Fixed angle 30 $^{\circ}$ to right only.



Lindsay Pro Numbe		Description	Shipping Weight Lbs.	F.O.B. Mpls.
		BM15220 Basic Unit 04813CC Attachment for IH	160	\$275.00
		Cadet 71, 73, 102, 104, 105, 106, 107, 122, 123, 126,	65	96.00
112623	205	127, 147 004813D Attachment for Deere 110 & 112 (1968 & Later)	65	96.00
112631	205	004813J Attachment for Deere 120 and 140	65	96.00
112658	205	04813SN Attachment for Simplicity 3310H, 3310V, 3314H, 3314V	65	96.00
112666	205	004813m Attachment for MF, MF 10 and MF12	65	96.00

R-HF-3-POINT SWEEPSTER



Attaches to 3 point hitch. PTO driven. Fixed angle – 30° to right. Raised by 3 point hitch arms. 32 " diameter, 6 ft. wide polypropylene brush.

Lindsay Product Number	Model Number	Shipping Weight Lbs.	F.O.B. Mpls.	
112712 205	R-HF 3-Point Sweepster	595	\$950.00	